

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
hrSystemUptime.0	NV	0 days 00:00:00	NV	0 days 01:24:59	0 days 07:02:55	NV
hrSystemDate.0	NV	00 00 00 00	NV	00 00 01 01 00 00 00 00	75 6e 6b 6e 6f 77 6e	NV
hrSystemInitialLoadDevice.0	NV	0	NV	2	1	NV
hrSystemInitialLoadParameters.0	NV	00 00 00 00	NV		75 6e 6b 6e 6f 77 6e	NV
hrSystemNumUsers.0	NV	0	NV	0	0	NV
hrSystemProcesses.0	NV	0	NV	1	0	NV
hrSystemMaxProcesses.0	NV	0	NV	1	0	NV
hrMemorySize.0	12288	14336	NV	8192	40960	2048
hrStorageIndex.1	1	1	NV	1	NV	NV
hrStorageIndex.2	NV	2	NV	2	NV	NV
hrStorageIndex.3	NV	NV	NV	3	NV	NV
hrStorageIndex.4	NV	NV	NV	4	NV	NV
hrStorageIndex.5	NV	NV	NV	5	NV	NV
hrStorageType.1	hrStorageRam	hrStorageRam	NV	hrStorageRam	NV	hrStorageRam
hrStorageType.2	NV	hrStorageOther	NV	hrStorageOther	NV	NV
hrStorageType.3	NV	NV	NV	hrStorageOther	NV	NV
hrStorageType.4	NV	NV	NV	hrStorageOther	NV	NV
hrStorageType.5	NV	NV	NV	hrStorageFixedDisk	NV	NV
hrStorageDescr.1	Random Access Memory	RAM	NV	RAM	NV	Random Access Memory
hrStorageDescr.2	NV	FLASH	NV	%rom%	NV	NV
hrStorageDescr.3	NV	NV	NV	NVRAM	NV	NV
hrStorageDescr.4	NV	NV	NV	%flash%	NV	NV
hrStorageDescr.5	NV	NV	NV	%disk%	NV	NV
hrStorageAllocationUnits.1	1	1	NV	1	NV	1024
hrStorageAllocationUnits.2	NV	256	NV	1	NV	NV
hrStorageAllocationUnits.3	NV	NV	NV	1	NV	NV
hrStorageAllocationUnits.4	NV	NV	NV	256	NV	NV
hrStorageAllocationUnits.5	NV	NV	NV	1024	NV	NV
hrStorageSize.1	12582912	14680064	NV	8388608	NV	2048
hrStorageSize.2	NV	8192	NV	2370506	NV	NV
hrStorageSize.3	NV	NV	NV	1024	NV	NV
hrStorageSize.4	NV	NV	NV	8192	NV	NV
hrStorageSize.5	NV	NV	NV	20760	NV	NV
hrStorageUsed.1	4084531	2865240	NV	1265368	NV	1052
hrStorageUsed.2	NV	617	NV	2370506	NV	NV
hrStorageUsed.3	NV	NV	NV	1024	NV	NV
hrStorageUsed.4	NV	NV	NV	408	NV	NV
hrStorageUsed.5	NV	NV	NV	6	NV	NV
hrStorageAllocationFailures.1	0	0	NV	0	NV	0
hrStorageAllocationFailures.2	NV	0	NV	0	NV	NV
hrStorageAllocationFailures.3	NV	NV	NV	0	NV	NV
hrStorageAllocationFailures.4	NV	NV	NV	0	NV	NV
hrStorageAllocationFailures.5	NV	NV	NV	0	NV	NV
hrDeviceIndex.1	1	1	1	1	1	NV
hrDeviceIndex.2	NV	2	NV	2	NV	NV
hrDeviceIndex.3	NV	3	NV	3	NV	NV
hrDeviceIndex.4	NV	NV	NV	4	NV	NV
hrDeviceIndex.5	NV	NV	NV	5	NV	NV
hrDeviceIndex.6	NV	NV	NV	6	NV	NV
hrDeviceIndex.7	NV	NV	NV	7	NV	NV
hrDeviceIndex.8	NV	NV	NV	8	NV	NV

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
hrDeviceIndex.9	NV	NV	NV	9	NV	NV
hrDeviceType.1	hrDevicePrinter	hrDevicePrinter	hrDevicePrinter	hrDevicePrinter	hrDevicePrinter	hrDevicePrinter
hrDeviceType.2	NV	hrDeviceNetwork	NV	hrDeviceNonVolatileMemory	NV	NV
hrDeviceType.3	NV	hrDeviceNetwork	NV	hrDeviceNonVolatileMemory	NV	NV
hrDeviceType.4	NV	NV	NV	hrDeviceProcessor	NV	NV
hrDeviceType.5	NV	NV	NV	hrDeviceNetwork	NV	NV
hrDeviceType.6	NV	NV	NV	hrDeviceNetwork	NV	NV
hrDeviceType.7	NV	NV	NV	hrDeviceDiskStorage	NV	NV
hrDeviceType.8	NV	NV	NV	hrDeviceParallelPort	NV	NV
hrDeviceType.9	NV	NV	NV	hrDeviceSerialPort	NV	NV
hrDeviceDescr.1	Vendor	Vendor	Vendor	Vendor	Vendor	Vendor
hrDeviceDescr.2	NV	Vendor Network Card for Ethernet 10BaseT/10Base2	NV	Nonvolatile RAM	NV	NV
hrDeviceDescr.3	NV	Vendor Network Card for Token Ring 16/4	NV	FLASH (none)	NV	NV
hrDeviceDescr.4	NV	NV	NV	Intel 80960 Rev 1	NV	NV
hrDeviceDescr.5	NV	NV	NV	Vendor Network Interface 0	NV	NV
hrDeviceDescr.6	NV	NV	NV	Vendor Network Interface 1	NV	NV
hrDeviceDescr.7	NV	NV	NV	Disk	NV	NV
hrDeviceDescr.8	NV	NV	NV	Parallel Interface	NV	NV
hrDeviceDescr.9	NV	NV	NV	Serial Interface	NV	NV
hrDeviceID.1	enterprises.11.2.3.9.1.2.1	Vendor.9.2.3.1.1	enterprises.1347.43.5.1.1.1	0.0	0.0	enterprises.253.8.62.1.2.1.1.1
hrDeviceID.2	NV	Vendor.9.2.2.1.1	NV	0.0	NV	NV
hrDeviceID.3	NV	Vendor.9.2.2.2.1	NV	0.0	NV	NV
hrDeviceID.4	NV	NV	NV	0.0	NV	NV
hrDeviceID.5	NV	NV	NV	enterprises.641.1	NV	NV
hrDeviceID.6	NV	NV	NV	enterprises.641.1	NV	NV
hrDeviceID.7	NV	NV	NV	0.0	NV	NV
hrDeviceID.8	NV	NV	NV	0.0	NV	NV
hrDeviceID.9	NV	NV	NV	0.0	NV	NV
hrDeviceStatus.1	running	running	running	running	running	running
hrDeviceStatus.2	NV	running	NV	running	NV	NV
hrDeviceStatus.3	NV	running	NV	running	NV	NV
hrDeviceStatus.4	NV	NV	NV	running	NV	NV
hrDeviceStatus.5	NV	NV	NV	running	NV	NV
hrDeviceStatus.6	NV	NV	NV	down	NV	NV
hrDeviceStatus.7	NV	NV	NV	running	NV	NV
hrDeviceStatus.8	NV	NV	NV	running	NV	NV
hrDeviceStatus.9	NV	NV	NV	running	NV	NV
hrDeviceErrors.1	2	0	1	0	0	0
hrDeviceErrors.2	NV	0	NV	0	NV	NV
hrDeviceErrors.3	NV	0	NV	0	NV	NV
hrDeviceErrors.4	NV	NV	NV	0	NV	NV
hrDeviceErrors.5	NV	NV	NV	0	NV	NV
hrDeviceErrors.6	NV	NV	NV	0	NV	NV
hrDeviceErrors.7	NV	NV	NV	0	NV	NV
hrDeviceErrors.8	NV	NV	NV	0	NV	NV
hrDeviceErrors.9	NV	NV	NV	0	NV	NV
hrProcessorFrwID.4	NV	NV	NV	0.0	NV	NV
hrProcessorLoad.4	NV	NV	NV	0	NV	NV
hrNetworkIflIndex.2	NV	1	NV	NV	NV	NV
hrNetworkIflIndex.3	NV	2	NV	NV	NV	NV
hrNetworkIflIndex.5	NV	NV	NV	2	NV	NV
hrPrinterStatus.1	idle	idle	idle	idle	idle	idle
hrPrinterDetectedErrorState.1	00	00	00	00	00 00 00 00	00

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
hrDiskStorageAccess.7	NV	NV	NV	readWrite	NV	NV
hrDiskStorageMedia.7	NV	NV	NV	hardDisk	NV	NV
hrDiskStorageRemoveble.7	NV	NV	NV	false	NV	NV
hrDiskStorageCapacity.7	NV	NV	NV	20760	NV	NV
hrPartitionIndex.8.1	NV	NV	NV	1	NV	NV
hrPartitionLabel.8.1	NV	NV	NV	25 64 69 73 6b 25	NV	NV
hrPartitionID.8.1	NV	NV	NV	25 64 69 73 6b 25	NV	NV
hrPartitionSize.8.1	NV	NV	NV	20760	NV	NV
hrPartitionFSIndex.8.1	NV	NV	NV	1	NV	NV
hrFSIndex.1	NV	NV	NV	1	NV	NV
hrFSMountPoint.1	NV	NV	NV	25 64 69 73 6b 25	NV	NV
hrFSRemoteMountPoint.1	NV	NV	NV		NV	NV
hrFSType.1	NV	NV	NV	hrFSOther	NV	NV
hrFSAccess.1	NV	NV	NV	readWrite	NV	NV
hrFSBootable.1	NV	NV	NV	false	NV	NV
hrFSStorageIndex.1	NV	NV	NV	5	NV	NV
hrFSLastFullBackupDate.1	NV	NV	NV	00 00 01 01 00 00 00 00	NV	NV
hrFSLastPartialBackupDate.1	NV	NV	NV	00 00 01 01 00 00 00 00	NV	NV
prtGeneralConfigChanges.1	19	2	4	1	1	93
prtGeneralCurrentLocalization.1	1	1	1	1	1	1
prtGeneralReset.1	notResetting	notResetting	notResetting	notResetting	notResetting	notResetting
prtCoverDescription.1.1	Printer Cover	Printer Cover	Top Cover	Printer Cover	Door Closed	Printer Cover
prtCoverDescription.1.2	NV	NV	Paper Feed Unit	NV	Door Closed	NV
prtCoverDescription.1.3	NV	NV	Side Cover	NV	Door Closed	NV
prtCoverDescription.1.4	NV	NV	Paper Handler Cover	NV	Door Closed	NV
prtCoverDescription.1.5	NV	NV	Option Feeder 1 Rear Cover	NV	NV	NV
prtCoverDescription.1.6	NV	NV	Duplex Unit Front Cover	NV	NV	NV
prtCoverDescription.1.7	NV	NV	Duplex Unit Rear Cover	NV	NV	NV
prtCoverStatus.1.1	doorClosed	doorClosed	doorClosed	doorClosed	doorClosed	doorClosed
prtCoverStatus.1.2	NV	NV	doorClosed	NV	doorClosed	NV
prtCoverStatus.1.3	NV	NV	doorClosed	NV	doorClosed	NV
prtCoverStatus.1.4	NV	NV	doorClosed	NV	doorClosed	NV
prtCoverStatus.1.5	NV	NV	doorClosed	NV	NV	NV
prtCoverStatus.1.6	NV	NV	doorClosed	NV	NV	NV
prtCoverStatus.1.7	NV	NV	doorClosed	NV	NV	NV
prtLocalizationLanguage.1.1	en	en	en	EN	EN	en
prtLocalizationLanguage.1.2	fr	pt	fr	FR	SP	pt
prtLocalizationLanguage.1.3	de	nl	de	DE	FR	fr
prtLocalizationLanguage.1.4	it	fr	NV	IT	DE	it
prtLocalizationLanguage.1.5	es	de	NV	ES	IT	de
prtLocalizationLanguage.1.6	sv	it	NV	DK	JA	es
prtLocalizationLanguage.1.7	da	es	NV	NO	NV	NV
prtLocalizationLanguage.1.8	ns	ja	NV	NL	NV	NV
prtLocalizationLanguage.1.9	nl	da	NV	SE	NV	NV
prtLocalizationLanguage.1.10	fi	fi	NV	NV	NV	NV
prtLocalizationLanguage.1.11	pt	no	NV	NV	NV	NV
prtLocalizationLanguage.1.12	tr	sv	NV	NV	NV	NV
prtLocalizationLanguage.1.13	pl	NV	NV	NV	NV	NV
prtLocalizationLanguage.1.14	ja	NV	NV	NV	NV	NV
prtLocalizationCountry.1.1	US	US	US		US	US
prtLocalizationCountry.1.2	FR	BR	FR		SP	PT

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
prtLocalizationCountry.1.3	DE	NL	DE		FR	FR
prtLocalizationCountry.1.4	IT	FR	NV		DE	IT
prtLocalizationCountry.1.5	ES	DE	NV		IT	DE
prtLocalizationCountry.1.6	SE	IT	NV		JA	ES
prtLocalizationCountry.1.7	DK	ES	NV		NV	NV
prtLocalizationCountry.1.8	NO	JP	NV		NV	NV
prtLocalizationCountry.1.9	NL	DK	NV		NV	NV
prtLocalizationCountry.1.10	FI	FI	NV	NV	NV	NV
prtLocalizationCountry.1.11	PT	NO	NV	NV	NV	NV
prtLocalizationCountry.1.12	TR	SE	NV	NV	NV	NV
prtLocalizationCountry.1.13	PL	NV	NV	NV	NV	NV
prtLocalizationCountry.1.14	JP	NV	NV	NV	NV	NV
prtLocalizationCharacterSet.1.1	2004	2004	2004	2009	0	2004
prtLocalizationCharacterSet.1.2	2004	2004	2004	2009	0	2004
prtLocalizationCharacterSet.1.3	2004	2004	2004	2009	0	2004
prtLocalizationCharacterSet.1.4	2004	2004	NV	2009	0	2004
prtLocalizationCharacterSet.1.5	2004	2004	NV	2009	0	2004
prtLocalizationCharacterSet.1.6	2004	2004	NV	2009	0	2004
prtLocalizationCharacterSet.1.7	2004	2004	NV	2009	NV	NV
prtLocalizationCharacterSet.1.8	2004	2004	NV	2009	NV	NV
prtLocalizationCharacterSet.1.9	2004	2004	NV	2009	NV	NV
prtLocalizationCharacterSet.1.10	2004	2004	NV	NV	NV	NV
prtLocalizationCharacterSet.1.11	2004	2004	NV	NV	NV	NV
prtLocalizationCharacterSet.1.12	12	2004	NV	NV	NV	NV
prtLocalizationCharacterSet.1.13	5	NV	NV	NV	NV	NV
prtLocalizationCharacterSet.1.14	2024	NV	NV	NV	NV	NV
prtStorageRefIndex.1.1	1	1	NV	1	1	1
prtStorageRefIndex.2.1	NV	NV	NV	1	NV	NV
prtStorageRefIndex.2.2	NV	1	NV	NV	NV	NV
prtStorageRefIndex.3.1	NV	NV	NV	1	NV	NV
prtStorageRefIndex.4.1	NV	NV	NV	1	NV	NV
prtDeviceRefIndex.1.1	1	1	NV	1	1	1
prtDeviceRefIndex.2.2	NV	1	NV	NV	NV	NV
prtDeviceRefIndex.3.3	NV	1	NV	NV	NV	NV
prtGeneralCurrentOperator.1			NV		None	Le Vu
prtGeneralServicePerson.1			NV		None	Steve
prtInputDefaultIndex.1	1	2	2	3	1	3
prtInputType.1.1	sheetFeedAutoNonRemovableTray	sheetFeedManual	sheetFeedManual	sheetFeedManual	sheetFeedAutoRemovableTray	sheetFeedManual
prtInputType.1.2	sheetFeedAutoRemovableTray	sheetFeedAutoNonRemovableTray	sheetFeedAutoNonRemovableTray	sheetFeedManual	sheetFeedAutoRemovableTray	sheetFeedAutoNonRemovableTray
prtInputType.1.3	sheetFeedAutoRemovableTray	sheetFeedAutoRemovableTray	sheetFeedAutoRemovableTray	sheetFeedAutoRemovableTray	sheetFeedAutoRemovableTray	sheetFeedAutoNonRemovableTray

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
prtInputType.1.4	NV	NV	NV	sheetFeedAutoRemovableTray	NV	NV
prtInputType.1.5	NV	NV	NV	sheetFeedAutoNonRemovableTray	NV	NV
prtInputDimUnit.1.1	tenThousandthsOfInches	micrometers	tenThousandthsOfInches	tenThousandthsOfInches	tenThousandthsOfInches	micrometers
prtInputDimUnit.1.2	tenThousandthsOfInches	micrometers	tenThousandthsOfInches	tenThousandthsOfInches	micrometers	micrometers
prtInputDimUnit.1.3	tenThousandthsOfInches	micrometers	tenThousandthsOfInches	tenThousandthsOfInches	tenThousandthsOfInches	micrometers
prtInputDimUnit.1.4	NV	NV	NV	tenThousandthsOfInches	NV	NV
prtInputDimUnit.1.5	NV	NV	NV	tenThousandthsOfInches	NV	NV
prtInputMediaDimFeedDirDeclared.1.1	85000	-2	110000	85000	110000	279400
prtInputMediaDimFeedDirDeclared.1.2	85000	279400	110000	95000	2970	279400
prtInputMediaDimFeedDirDeclared.1.3	140000	279400	110000	85000	110000	279400
prtInputMediaDimFeedDirDeclared.1.4	NV	NV	NV	140000	NV	NV
prtInputMediaDimFeedDirDeclared.1.5	NV	NV	NV	85000	NV	NV
prtInputMediaDimXFeedDirDeclared.1.1	110000	-2	85000	110000	85000	215900
prtInputMediaDimXFeedDirDeclared.1.2	110000	215900	85000	41259	2100	215900
prtInputMediaDimXFeedDirDeclared.1.3	85000	215900	85000	110000	85000	215900
prtInputMediaDimXFeedDirDeclared.1.4	NV	NV	NV	85000	NV	NV
prtInputMediaDimXFeedDirDeclared.1.5	NV	NV	NV	110000	NV	NV
prtInputMediaDimFeedDirChosen.1.1	85000	279400	110000	85000	110000	279400
prtInputMediaDimFeedDirChosen.1.2	85000	279400	110000	95000	2970	279400
prtInputMediaDimFeedDirChosen.1.3	140000	279400	110000	85000	110000	279400
prtInputMediaDimFeedDirChosen.1.4	NV	NV	NV	140000	NV	NV
prtInputMediaDimFeedDirChosen.1.5	NV	NV	NV	85000	NV	NV
prtInputMediaDimXFeedDirChosen.1.1	110000	215900	85000	110000	85000	215900
prtInputMediaDimXFeedDirChosen.1.2	110000	215900	85000	41259	2100	215900
prtInputMediaDimXFeedDirChosen.1.3	85000	215900	85000	110000	85000	215900
prtInputMediaDimXFeedDirChosen.1.4	NV	NV	NV	85000	NV	NV
prtInputMediaDimXFeedDirChosen.1.5	NV	NV	NV	110000	NV	NV
prtInputCapacityUnit.1.1	sheets	sheets	sheets	sheets	sheets	sheets
prtInputCapacityUnit.1.2	sheets	sheets	sheets	sheets	sheets	sheets
prtInputCapacityUnit.1.3	sheets	sheets	sheets	sheets	sheets	sheets
prtInputCapacityUnit.1.4	NV	NV	NV	sheets	NV	NV
prtInputCapacityUnit.1.5	NV	NV	NV	sheets	NV	NV
prtInputMaxCapacity.1.1	100	100	100	1	250	1
prtInputMaxCapacity.1.2	500	250	250	1	250	250
prtInputMaxCapacity.1.3	500	500	500	500	100	250
prtInputMaxCapacity.1.4	NV	NV	NV	500	NV	NV
prtInputMaxCapacity.1.5	NV	NV	NV	100	NV	NV

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
prtInputCurrentLevel.1.1	0	0	0	-2	250	0
prtInputCurrentLevel.1.2	200	-3	-3	-2	250	-3
prtInputCurrentLevel.1.3	1	-3	-3	350	100	-3
prtInputCurrentLevel.1.4	NV	NV	NV	350	NV	NV
prtInputCurrentLevel.1.5	NV	NV	NV	-2	NV	NV
prtInputStatus.1.1	9	0	19	4	0	1
prtInputStatus.1.2	0	0	4	4	0	1
prtInputStatus.1.3	0	0	0	4	0	1
prtInputStatus.1.4	NV	NV	NV	4	NV	NV
prtInputStatus.1.5	NV	NV	NV	4	NV	NV
prtInputMediaName.1.1	Plain		NV	na-letter-white	Unknown	Unknown
prtInputMediaName.1.2	Plain		NV	na-number-10-envelope	Unknown	Letter
prtInputMediaName.1.3	Plain		NV	na-letter-white	Unknown	Letter
prtInputMediaName.1.4	NV	NV	NV	na-legal-white	NV	NV
prtInputMediaName.1.5	NV	NV	NV	na-letter-white	NV	NV
prtInputName.1.1	TRAY 1		NV	Manual Paper		Manual Feed Slot
prtInputName.1.2	TRAY 2		NV	Manual Envelope		Upper Cassette
prtInputName.1.3	TRAY 3		NV	Tray 1		Lower Cassette
prtInputName.1.4	NV	NV	NV	Tray 2	NV	NV
prtInputName.1.5	NV	NV	NV	MP Tray	NV	NV
prtInputVendorName.1.1	Vendor		NV	Vendor	Vendor	
prtInputVendorName.1.2	Vendor		NV	Vendor	Vendor	
prtInputVendorName.1.3	Vendor		NV	Vendor	Vendor	
prtInputVendorName.1.4	NV	NV	NV	Vendor	NV	NV
prtInputVendorName.1.5	NV	NV	NV	Vendor	NV	NV
prtInputModel.1.1			Multi Purpose Tray			
prtInputModel.1.2			Default Cassette			
prtInputModel.1.3			PF-20			
prtInputModel.1.4	NV	NV	NV		NV	NV
prtInputModel.1.5	NV	NV	NV		NV	NV
prtInputVersion.1.1			NV			
prtInputVersion.1.2			NV			
prtInputVersion.1.3			NV			
prtInputVersion.1.4	NV	NV	NV		NV	NV
prtInputVersion.1.5	NV	NV	NV		NV	NV
prtInputSerialNumber.1.1			NV			
prtInputSerialNumber.1.2			NV			
prtInputSerialNumber.1.3			NV			
prtInputSerialNumber.1.4	NV	NV	NV		NV	NV
prtInputSerialNumber.1.5	NV	NV	NV		NV	NV
prtInputDescription.1.1	Tray 1		Multi Purpose Tray	Manual	Upper Input Tray	Manual Feed Slot
prtInputDescription.1.2	Tray 2		Default Cassette	Manual Env	Middle Input Tray	Upper Cassette
prtInputDescription.1.3	Tray 3		Option Feeder 1	Tray 1	Lower Input Tray	Lower Cassette
prtInputDescription.1.4	NV	NV	NV	Tray 2	NV	NV
prtInputDescription.1.5	NV	NV	NV	Multipurpose	NV	NV
prtInputSecurity.1.1	notPresent	other	notPresent	notPresent	notPresent	notPresent
prtInputSecurity.1.2	notPresent	other	notPresent	notPresent	notPresent	notPresent
prtInputSecurity.1.3	notPresent	other	notPresent	notPresent	notPresent	notPresent
prtInputSecurity.1.4	NV	NV	NV	notPresent	NV	NV
prtInputSecurity.1.5	NV	NV	NV	notPresent	NV	NV
prtInputMediaWeight.1.1	NV	NV	NV	-2	-2	NV
prtInputMediaWeight.1.2	NV	NV	NV	-2	-2	NV
prtInputMediaWeight.1.3	NV	NV	NV	-2	-2	NV
prtInputMediaWeight.1.4	NV	NV	NV	-2	NV	NV
prtInputMediaWeight.1.5	NV	NV	NV	-2	NV	NV
prtInputMediaType.1.1	NV	NV	NV	stationary	Paper	NV
prtInputMediaType.1.2	NV	NV	NV	envelope	Paper	NV

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
prtInputMediaType.1.3	NV	NV	NV	stationary	Transparency	NV
prtInputMediaType.1.4	NV	NV	NV	stationary	NV	NV
prtInputMediaType.1.5	NV	NV	NV	stationary	NV	NV
prtInputMediaColor.1.1	NV	NV	NV	unknown	Unknown	NV
prtInputMediaColor.1.2	NV	NV	NV	unknown	Unknown	NV
prtInputMediaColor.1.3	NV	NV	NV	unknown	Unknown	NV
prtInputMediaColor.1.4	NV	NV	NV	unknown	NV	NV
prtInputMediaColor.1.5	NV	NV	NV	unknown	NV	NV
prtInputMediaFormParts.1.1	NV	NV	NV	-2	-2	NV
prtInputMediaFormParts.1.2	NV	NV	NV	-2	-2	NV
prtInputMediaFormParts.1.3	NV	NV	NV	-2	-2	NV
prtInputMediaFormParts.1.4	NV	NV	NV	-2	NV	NV
prtInputMediaFormParts.1.5	NV	NV	NV	-2	NV	NV
prtOutputDefaultIndex.1	1	1	1	1	1	1
prtOutputType.1.1	unRemovableBin	unRemovableBin	unRemovableBin	unRemovableBin	removableBin	unRemovableBin
prtOutputType.1.2	removableBin	removableBin	removableBin	removableBin	NV	NV
prtOutputCapacityUnit.1.1	sheets	sheets	sheets	sheets	sheets	sheets
prtOutputCapacityUnit.1.2	sheets	sheets	sheets	sheets	NV	NV
prtOutputMaxCapacity.1.1	500	250	250	500	100	250
prtOutputMaxCapacity.1.2	100	500	500	100	NV	NV
prtOutputRemainingCapacity.1.1	-3	-2	-2	-3	100	-2
prtOutputRemainingCapacity.1.2	-2	-2	-2	-2	NV	NV
prtOutputStatus.1.1	0	0	4	4	0	5
prtOutputStatus.1.2	0	0	0	4	NV	NV
prtOutputName.1.1	TOP OUTPUT BIN		NV	Upper Output Bin		NV
prtOutputName.1.2	LEFT OUTPUT BIN		NV	Side Output Bin	NV	NV
prtOutputVendorName.1.1	Vendor		NV	Vendor	Vendor	NV
prtOutputVendorName.1.2	Vendor		NV	Vendor	NV	NV
prtOutputModel.1.1			Face Down Tray			NV
prtOutputModel.1.2			Face Up Tray		NV	NV
prtOutputVersion.1.1			NV			NV
prtOutputVersion.1.2			NV		NV	NV
prtOutputSerialNumber.1.1			NV			NV
prtOutputSerialNumber.1.2			NV		NV	NV
prtOutputDescription.1.1	Top Output Bin		Face Down Tray	Upper Output Bin		NV
prtOutputDescription.1.2	Left Output Bin		Face Up Tray	Side Output Bin	NV	NV
prtOutputSecurity.1.1	notPresent	other	notPresent	notPresent	notPresent	NV
prtOutputSecurity.1.2	notPresent	other	notPresent	notPresent	NV	NV
prtOutputDimUnit.1.1	NV	NV	tenThousandthsOfInches	tenThousandthsOfInches	tenThousandthsOfInches	NV
prtOutputDimUnit.1.2	NV	NV	tenThousandthsOfInches	tenThousandthsOfInches	NV	NV
prtOutputMaxDimFeedDir.1.1	NV	NV	140000	177000	-2	NV
prtOutputMaxDimFeedDir.1.2	NV	NV	140000	177000	NV	NV
prtOutputMaxDimXFeedDir.1.1	NV	NV	85000	117000	-2	NV
prtOutputMaxDimXFeedDir.1.2	NV	NV	85000	117000	NV	NV
prtOutputMinDimFeedDir.1.1	NV	NV	58000	75000	-2	NV
prtOutputMinDimFeedDir.1.2	NV	NV	58000	75000	NV	NV
prtOutputMinDimXFeedDir.1.1	NV	NV	31000	38750	-2	NV
prtOutputMinDimXFeedDir.1.2	NV	NV	31000	38750	NV	NV
prtOutputStackingOrder.1.1	firstToLast	NV	firstToLast	firstToLast	lastToFirst	NV
prtOutputStackingOrder.1.2	lastToFirst	NV	lastToFirst	lastToFirst	NV	NV

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
prtOutputPageDeliveryOrientation.1.1	faceDown	NV	faceDown	faceDown	faceUp	NV
prtOutputPageDeliveryOrientation.1.2	faceUp	NV	faceUp	faceUp	NV	NV
prtOutputBursting.1.1	notPresent	NV	notPresent	notPresent	notPresent	NV
prtOutputBursting.1.2	notPresent	NV	notPresent	notPresent	NV	NV
prtOutputDecollating.1.1	notPresent	NV	notPresent	notPresent	notPresent	NV
prtOutputDecollating.1.2	notPresent	NV	notPresent	notPresent	NV	NV
prtOutputPageCollated.1.1	notPresent	NV	notPresent	off	notPresent	NV
prtOutputPageCollated.1.2	notPresent	NV	notPresent	off	NV	NV
prtOutputOffsetStacking.1.1	notPresent	NV	notPresent	notPresent	notPresent	NV
prtOutputOffsetStacking.1.2	notPresent	NV	notPresent	notPresent	NV	NV
prtMarkerDefaultIndex.1	1	1	1	1	1	1
prtMarkerMarkTech.1.1	electrophotographicLaser	electrophotographicLaser	electrophotographicLaser	electrophotographicLaser	electrophotographicLaser	electrophotographicLaser
prtMarkerCounterUnit.1.1	impressions	sheets	impressions	sheets	sheets	impressions
prtMarkerLifeCount.1.1	0	10533	253	94	206	230
prtMarkerPowerOnCount.1.1	0	2	0	28	0	0
prtMarkerProcessColorants.1.1	1	1	1	1	4	1
prtMarkerSpotColorants.1.1	0	0	0	0	0	0
prtMarkerAddressabilityUnit.1.1	tenThousandthsOfInches	micrometers	tenThousandthsOfInches	tenThousandthsOfInches	tenThousandthsOfInches	tenThousandthsOfInches
prtMarkerAddressabilityFeedDir.1.1	600	236	600	1200	-2	600
prtMarkerAddressabilityXFeedDir.1.1	600	236	600	1200	-2	600
prtMarkerNorthMargin.1.1	1667	4000	1968	1667	-2	1667
prtMarkerSouthMargin.1.1	1667	4000	1968	1667	-2	1667
prtMarkerWestMargin.1.1	1667	4000	1968	1667	-2	1667
prtMarkerEastMargin.1.1	1667	4000	1968	1667	-2	1667
prtMarkerStatus.1.1	0	0	4	4	0	2
prtMarkerSuppliesMarkerIndex.1.1	1	NV	1	1	1	NV
prtMarkerSuppliesMarkerIndex.1.2	NV	NV	1	NV	1	NV
prtMarkerSuppliesMarkerIndex.1.3	NV	NV	NV	NV	1	NV
prtMarkerSuppliesMarkerIndex.1.4	NV	NV	NV	NV	1	NV
prtMarkerSuppliesMarkerIndex.1.5	NV	NV	NV	NV	1	NV
prtMarkerSuppliesMarkerIndex.1.6	NV	NV	NV	NV	1	NV
prtMarkerSuppliesMarkerIndex.1.7	NV	NV	NV	NV	1	NV
prtMarkerSuppliesMarkerIndex.1.8	NV	NV	NV	NV	1	NV
prtMarkerSuppliesMarkerIndex.1.9	NV	NV	NV	NV	1	NV
prtMarkerSuppliesMarkerIndex.1.10	NV	NV	NV	NV	1	NV
prtMarkerSuppliesColorantIndex.1.1	0	NV	0	1	1	NV
prtMarkerSuppliesColorantIndex.1.2	NV	NV	0	NV	2	NV
prtMarkerSuppliesColorantIndex.1.3	NV	NV	NV	NV	3	NV
prtMarkerSuppliesColorantIndex.1.4	NV	NV	NV	NV	4	NV

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
prtMarkerSuppliesColorantIn dex.1.5	NV	NV	NV	NV	0	NV
prtMarkerSuppliesColorantIn dex.1.6	NV	NV	NV	NV	0	NV
prtMarkerSuppliesColorantIn dex.1.7	NV	NV	NV	NV	0	NV
prtMarkerSuppliesColorantIn dex.1.8	NV	NV	NV	NV	0	NV
prtMarkerSuppliesColorantIn dex.1.9	NV	NV	NV	NV	0	NV
prtMarkerSuppliesColorantIn dex.1.10	NV	NV	NV	NV	0	NV
prtMarkerSuppliesClass.1.1	supplyThatIsConsumed	NV	supplyThatIsConsumed	supplyThatIsConsumed	supplyThatIsConsumed	NV
prtMarkerSuppliesClass.1.2	NV	NV	receptacleThatIsFilled	NV	supplyThatIsConsumed	NV
prtMarkerSuppliesClass.1.3	NV	NV	NV	NV	supplyThatIsConsumed	NV
prtMarkerSuppliesClass.1.4	NV	NV	NV	NV	supplyThatIsConsumed	NV
prtMarkerSuppliesClass.1.5	NV	NV	NV	NV	supplyThatIsConsumed	NV
prtMarkerSuppliesClass.1.6	NV	NV	NV	NV	other	NV
prtMarkerSuppliesClass.1.7	NV	NV	NV	NV	supplyThatIsConsumed	NV
prtMarkerSuppliesClass.1.8	NV	NV	NV	NV	supplyThatIsConsumed	NV
prtMarkerSuppliesClass.1.9	NV	NV	NV	NV	receptacleThatIsFilled	NV
prtMarkerSuppliesClass.1.10	NV	NV	NV	NV	supplyThatIsConsumed	NV
prtMarkerSuppliesType.1.1	toner	NV	toner	toner	toner	NV
prtMarkerSuppliesType.1.2	NV	NV	wasteToner	NV	toner	NV
prtMarkerSuppliesType.1.3	NV	NV	NV	NV	toner	NV
prtMarkerSuppliesType.1.4	NV	NV	NV	NV	toner	NV
prtMarkerSuppliesType.1.5	NV	NV	NV	NV	1001	NV
prtMarkerSuppliesType.1.6	NV	NV	NV	NV	unknown	NV
prtMarkerSuppliesType.1.7	NV	NV	NV	NV	1003	NV
prtMarkerSuppliesType.1.8	NV	NV	NV	NV	fuserOil	NV
prtMarkerSuppliesType.1.9	NV	NV	NV	NV	wasteToner	NV
prtMarkerSuppliesType.1.10	NV	NV	NV	NV	1005	NV
prtMarkerSuppliesDescription.1.1	Toner Cartridge Vendor C3909A	NV	TK-20	Black Toner	Toner	NV
prtMarkerSuppliesDescription.1.2	NV	NV	Waste Toner Bottle	NV	Toner	NV
prtMarkerSuppliesDescription.1.3	NV	NV	NV	NV	Toner	NV
prtMarkerSuppliesDescription.1.4	NV	NV	NV	NV	Toner	NV
prtMarkerSuppliesDescription.1.5	NV	NV	NV	NV	Imaging Unit	NV
prtMarkerSuppliesDescription.1.6	NV	NV	NV	NV	Unknown	NV
prtMarkerSuppliesDescription.1.7	NV	NV	NV	NV	Second Transfer Unit	NV
prtMarkerSuppliesDescription.1.8	NV	NV	NV	NV	Fuser	NV
prtMarkerSuppliesDescription.1.9	NV	NV	NV	NV	Waste Receptacle	NV
prtMarkerSuppliesDescription.1.10	NV	NV	NV	NV	Paper Feed	NV
prtMarkerSuppliesSupplyUnit.1.1	tenthsOfGrams	NV	7	thousandthsOfOunces	0	NV
prtMarkerSuppliesSupplyUnit.1.2	NV	NV	7	NV	0	NV
prtMarkerSuppliesSupplyUnit.1.3	NV	NV	NV	NV	0	NV

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
prtMarkerSuppliesSupplyUnit.1.4	NV	NV	NV	NV	0	NV
prtMarkerSuppliesSupplyUnit.1.5	NV	NV	NV	NV	0	NV
prtMarkerSuppliesSupplyUnit.1.6	NV	NV	NV	NV	0	NV
prtMarkerSuppliesSupplyUnit.1.7	NV	NV	NV	NV	0	NV
prtMarkerSuppliesSupplyUnit.1.8	NV	NV	NV	NV	0	NV
prtMarkerSuppliesSupplyUnit.1.9	NV	NV	NV	NV	0	NV
prtMarkerSuppliesSupplyUnit.1.10	NV	NV	NV	NV	0	NV
prtMarkerSuppliesMaxCapacity.1.1	-2	NV	10000	-2	0	NV
prtMarkerSuppliesMaxCapacity.1.2	NV	NV	20000	NV	0	NV
prtMarkerSuppliesMaxCapacity.1.3	NV	NV	NV	NV	0	NV
prtMarkerSuppliesMaxCapacity.1.4	NV	NV	NV	NV	0	NV
prtMarkerSuppliesMaxCapacity.1.5	NV	NV	NV	NV	0	NV
prtMarkerSuppliesMaxCapacity.1.6	NV	NV	NV	NV	0	NV
prtMarkerSuppliesMaxCapacity.1.7	NV	NV	NV	NV	0	NV
prtMarkerSuppliesMaxCapacity.1.8	NV	NV	NV	NV	0	NV
prtMarkerSuppliesMaxCapacity.1.9	NV	NV	NV	NV	0	NV
prtMarkerSuppliesMaxCapacity.1.10	NV	NV	NV	NV	0	NV
prtMarkerSuppliesLevel.1.1	-3	NV	-2	-3	0	NV
prtMarkerSuppliesLevel.1.2	NV	NV	-3	NV	0	NV
prtMarkerSuppliesLevel.1.3	NV	NV	NV	NV	0	NV
prtMarkerSuppliesLevel.1.4	NV	NV	NV	NV	0	NV
prtMarkerSuppliesLevel.1.5	NV	NV	NV	NV	0	NV
prtMarkerSuppliesLevel.1.6	NV	NV	NV	NV	0	NV
prtMarkerSuppliesLevel.1.7	NV	NV	NV	NV	0	NV
prtMarkerSuppliesLevel.1.8	NV	NV	NV	NV	0	NV
prtMarkerSuppliesLevel.1.9	NV	NV	NV	NV	0	NV
prtMarkerSuppliesLevel.1.10	NV	NV	NV	NV	0	NV
prtMarkerColorantMarkerIndex.1.1	NV	NV	NV	1	1	NV
prtMarkerColorantMarkerIndex.1.2	NV	NV	NV	NV	1	NV
prtMarkerColorantMarkerIndex.1.3	NV	NV	NV	NV	1	NV
prtMarkerColorantMarkerIndex.1.4	NV	NV	NV	NV	1	NV
prtMarkerColorantRole.1.1	NV	NV	NV	process	process	NV
prtMarkerColorantRole.1.2	NV	NV	NV	NV	process	NV
prtMarkerColorantRole.1.3	NV	NV	NV	NV	process	NV
prtMarkerColorantRole.1.4	NV	NV	NV	NV	process	NV
prtMarkerColorantValue.1.1	NV	NV	NV	black	Cyan	NV
prtMarkerColorantValue.1.2	NV	NV	NV	NV	Magenta	NV
prtMarkerColorantValue.1.3	NV	NV	NV	NV	Yellow	NV

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
prtMarkerColorantValue.1.4	NV	NV	NV	NV	Black	NV
prtMarkerColorantTonality.1.1	NV	NV	NV	2	2	NV
prtMarkerColorantTonality.1.2	NV	NV	NV	NV	2	NV
prtMarkerColorantTonality.1.3	NV	NV	NV	NV	2	NV
prtMarkerColorantTonality.1.4	NV	NV	NV	NV	2	NV
prtMediaPathDefaultIndex.1	1	1	1	1	1	1
prtMediaPathMaxSpeedPrintUnit.1.1	impressionsPerHour	sheetsPerHour	impressionsPerHour	tenThousandthsOfInchesPerHour	sheetsPerHour	impressionsPerHour
prtMediaPathMaxSpeedPrintUnit.1.2	impressionsPerHour	sheetsPerHour	impressionsPerHour	tenThousandthsOfInchesPerHour	NV	impressionsPerHour
prtMediaPathMaxSpeedPrintUnit.1.3	impressionsPerHour	sheetsPerHour	impressionsPerHour	NV	NV	impressionsPerHour
prtMediaPathMediaSizeUnit.1.1	tenThousandthsOfInches	micrometers	tenThousandthsOfInches	tenThousandthsOfInches	tenThousandthsOfInches	micrometers
prtMediaPathMediaSizeUnit.1.2	tenThousandthsOfInches	micrometers	tenThousandthsOfInches	tenThousandthsOfInches	NV	micrometers
prtMediaPathMediaSizeUnit.1.3	tenThousandthsOfInches	micrometers	tenThousandthsOfInches	NV	NV	micrometers
prtMediaPathMaxSpeed.1.1	1440	1020	1080	151000000	-2	720
prtMediaPathMaxSpeed.1.2	1140	1020	1080	151000000	NV	480
prtMediaPathMaxSpeed.1.3	1140	1020	1080	NV	NV	480
prtMediaPathMaxMediaFeedDir.1.1	177000	355600	140000	177000	14000	355600
prtMediaPathMaxMediaFeedDir.1.2	177000	355600	140000	170000	NV	355600
prtMediaPathMaxMediaFeedDir.1.3	177000	355600	140000	NV	NV	355600
prtMediaPathMaxMediaXFeedDir.1.1	117000	215900	85000	117000	8500	215900
prtMediaPathMaxMediaXFeedDir.1.2	117000	215900	85000	117000	NV	215900
prtMediaPathMaxMediaXFeedDir.1.3	117000	215900	85000	NV	NV	215900
prtMediaPathMinMediaFeedDir.1.1	75000	190500	58000	75000	11000	190500
prtMediaPathMinMediaFeedDir.1.2	82677	190500	83000	82700	NV	210058
prtMediaPathMinMediaFeedDir.1.3	82677	190500	83000	NV	NV	210058
prtMediaPathMinMediaXFeedDir.1.1	38750	98425	41000	38750	8270	98298
prtMediaPathMinMediaXFeedDir.1.2	71654	98425	58000	85000	NV	148590
prtMediaPathMinMediaXFeedDir.1.3	71654	98425	58000	NV	NV	148590
prtMediaPathType.1.1	simplex	longEdgeBindingDuplex	simplex	simplex	simplex	simplex
prtMediaPathType.1.2	longEdgeBindingDuplex	shortEdgeBindingDuplex	longEdgeBindingDuplex	longEdgeBindingDuplex	NV	longEdgeBindingDuplex
prtMediaPathType.1.3	shortEdgeBindingDuplex	simplex	shortEdgeBindingDuplex	NV	NV	shortEdgeBindingDuplex
prtMediaPathDescription.1.1	1-Sided	Long-edge Binding Duplex	Simplex	Primary Paper Path	Media Path	1 Sided
prtMediaPathDescription.1.2	2-Sided, Long edge binding	Short-edge Binding Duplex	Long edge binding	Duplex Paper Path	NV	2 Sided, Long Edge Binding
prtMediaPathDescription.1.3	2-Sided, Short edge binding	Simplex	Short edge binding	NV	NV	2 Sided, Short Edge Binding
prtMediaPathStatus.1.1	0	0	0	4	0	0
prtMediaPathStatus.1.2	0	0	0	4	NV	0
prtMediaPathStatus.1.3	0	0	0	NV	NV	0
prtChannelType.1.1	chIEEE1284Port	chIEEE1284Port	chSerialPort	chSerialPort	chIEEE1284Port	chIEEE1284Port

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
prtChannelType.1.2	chNetwarePServer	other	chIEEE1284Port	chIEEE1284Port	chAppleTalkPAP	chNetwarePServer
prtChannelType.1.3	chDLCLLCPort	other	other	chDLCLLCPort	chLPDServer	chAppleTalkPAP
prtChannelType.1.4	chPort9100	NV	NV	chNetwarePServer	chNetwarePServer	chLPDServer
prtChannelType.1.5	chAppleTalkPAP	NV	NV	chAppleTalkPAP	chAppSocket	other
prtChannelType.1.6	chAppleTalkPAP	NV	NV	chLPDServer	NV	other
prtChannelType.1.7	chAppleTalkPAP	NV	NV	chPort9100	NV	NV
prtChannelType.1.8	other	NV	NV	chFTP	NV	NV
prtChannelType.1.9	chNetwarePServer	NV	NV	chTFTP	NV	NV
prtChannelType.1.10	chDLCLLCPort	NV	NV	chNPAP	NV	NV
prtChannelType.1.11	chPort9100	NV	NV	NV	NV	NV
prtChannelType.1.12	chAppleTalkPAP	NV	NV	NV	NV	NV
prtChannelType.1.13	chAppleTalkPAP	NV	NV	NV	NV	NV
prtChannelType.1.14	chAppleTalkPAP	NV	NV	NV	NV	NV
prtChannelType.1.15	other	NV	NV	NV	NV	NV
prtChannelProtocolVersion.1.1	IEEE1284-II; forward compatible, nibble, ECP, noRLE; type B		NV	RS232	1284.1	
prtChannelProtocolVersion.1.2			NV	Fastbytes		
prtChannelProtocolVersion.1.3			NV		IETF's RFC 1179	
prtChannelProtocolVersion.1.4		NV	NV			
prtChannelProtocolVersion.1.5		NV	NV		Adobe AppSocket	
prtChannelProtocolVersion.1.6		NV	NV		NV	
prtChannelProtocolVersion.1.7		NV	NV		NV	NV
prtChannelProtocolVersion.1.8	SPX	NV	NV		NV	NV
prtChannelProtocolVersion.1.9		NV	NV		NV	NV
prtChannelProtocolVersion.1.10		NV	NV		NV	NV
prtChannelProtocolVersion.1.11		NV	NV	NV	NV	NV
prtChannelProtocolVersion.1.12		NV	NV	NV	NV	NV
prtChannelProtocolVersion.1.13		NV	NV	NV	NV	NV
prtChannelProtocolVersion.1.14		NV	NV	NV	NV	NV
prtChannelProtocolVersion.1.15	SPX	NV	NV	NV	NV	NV
prtChannelCurrentJobCntLanngIndex.1.1	2	2	7	5	42	3
prtChannelCurrentJobCntLanngIndex.1.2	2	2	7	5	42	3
prtChannelCurrentJobCntLanngIndex.1.3	2	2	7	5	42	3
prtChannelCurrentJobCntLanngIndex.1.4	2	NV	NV	5	42	3
prtChannelCurrentJobCntLanngIndex.1.5	2	NV	NV	5	42	3
prtChannelCurrentJobCntLanngIndex.1.6	2	NV	NV	5	NV	3
prtChannelCurrentJobCntLanngIndex.1.7	2	NV	NV	5	NV	NV

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
prtChannelCurrentJobCntLlangIndex.1.8	2	NV	NV	5	NV	NV
prtChannelCurrentJobCntLlangIndex.1.9	2	NV	NV	5	NV	NV
prtChannelCurrentJobCntLlangIndex.1.10	2	NV	NV	5	NV	NV
prtChannelCurrentJobCntLlangIndex.1.11	2	NV	NV	NV	NV	NV
prtChannelCurrentJobCntLlangIndex.1.12	2	NV	NV	NV	NV	NV
prtChannelCurrentJobCntLlangIndex.1.13	2	NV	NV	NV	NV	NV
prtChannelCurrentJobCntLlangIndex.1.14	2	NV	NV	NV	NV	NV
prtChannelCurrentJobCntLlangIndex.1.15	2	NV	NV	NV	NV	NV
prtChannelDefaultPageDescLangIndex.1.1	1	4	5	1	6	1
prtChannelDefaultPageDescLangIndex.1.2	1	4	5	1	6	1
prtChannelDefaultPageDescLangIndex.1.3	1	4	5	1	6	1
prtChannelDefaultPageDescLangIndex.1.4	1	NV	NV	1	37	1
prtChannelDefaultPageDescLangIndex.1.5	1	NV	NV	1	6	1
prtChannelDefaultPageDescLangIndex.1.6	1	NV	NV	1	NV	1
prtChannelDefaultPageDescLangIndex.1.7	1	NV	NV	1	NV	NV
prtChannelDefaultPageDescLangIndex.1.8	1	NV	NV	1	NV	NV
prtChannelDefaultPageDescLangIndex.1.9	1	NV	NV	1	NV	NV
prtChannelDefaultPageDescLangIndex.1.10	1	NV	NV	1	NV	NV
prtChannelDefaultPageDescLangIndex.1.11	1	NV	NV	NV	NV	NV
prtChannelDefaultPageDescLangIndex.1.12	1	NV	NV	NV	NV	NV
prtChannelDefaultPageDescLangIndex.1.13	1	NV	NV	NV	NV	NV
prtChannelDefaultPageDescLangIndex.1.14	1	NV	NV	NV	NV	NV
prtChannelDefaultPageDescLangIndex.1.15	1	NV	NV	NV	NV	NV
prtChannelState.1.1	printDataAccepted	printDataAccepted	printDataAccepted	printDataAccepted	printDataAccepted	printDataAccepted
prtChannelState.1.2	printDataAccepted	printDataAccepted	printDataAccepted	printDataAccepted	printDataAccepted	printDataAccepted
prtChannelState.1.3	printDataAccepted	printDataAccepted	printDataAccepted	printDataAccepted	printDataAccepted	printDataAccepted
prtChannelState.1.4	printDataAccepted	NV	NV	printDataAccepted	noDataAccepted	printDataAccepted
prtChannelState.1.5	printDataAccepted	NV	NV	printDataAccepted	printDataAccepted	printDataAccepted
prtChannelState.1.6	printDataAccepted	NV	NV	printDataAccepted	NV	noDataAccepted
prtChannelState.1.7	printDataAccepted	NV	NV	printDataAccepted	NV	NV
prtChannelState.1.8	printDataAccepted	NV	NV	printDataAccepted	NV	NV
prtChannelState.1.9	printDataAccepted	NV	NV	printDataAccepted	NV	NV
prtChannelState.1.10	printDataAccepted	NV	NV	printDataAccepted	NV	NV
prtChannelState.1.11	printDataAccepted	NV	NV	NV	NV	NV
prtChannelState.1.12	printDataAccepted	NV	NV	NV	NV	NV
prtChannelState.1.13	printDataAccepted	NV	NV	NV	NV	NV

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
prtChannelState.1.14	printDataAccepted	NV	NV	NV	NV	NV
prtChannelState.1.15	printDataAccepted	NV	NV	NV	NV	NV
prtChannelfIndex.1.1	0	0	NV	0	1	2
prtChannelfIndex.1.2	1	1	NV	0	1	1
prtChannelfIndex.1.3	1	2	NV	2	1	1
prtChannelfIndex.1.4	1	NV	NV	2	1	1
prtChannelfIndex.1.5	1	NV	NV	2	1	1
prtChannelfIndex.1.6	1	NV	NV	2	NV	1
prtChannelfIndex.1.7	1	NV	NV	2	NV	NV
prtChannelfIndex.1.8	1	NV	NV	2	NV	NV
prtChannelfIndex.1.9	1	NV	NV	2	NV	NV
prtChannelfIndex.1.10	1	NV	NV	2	NV	NV
prtChannelfIndex.1.11	1	NV	NV	NV	NV	NV
prtChannelfIndex.1.12	1	NV	NV	NV	NV	NV
prtChannelfIndex.1.13	1	NV	NV	NV	NV	NV
prtChannelfIndex.1.14	1	NV	NV	NV	NV	NV
prtChannelfIndex.1.15	1	NV	NV	NV	NV	NV
prtChannelStatus.1.1	0	0	0	4	0	0
prtChannelStatus.1.2	0	0	0	4	0	0
prtChannelStatus.1.3	0	0	0	4	0	0
prtChannelStatus.1.4	0	NV	NV	4	0	0
prtChannelStatus.1.5	0	NV	NV	4	0	0
prtChannelStatus.1.6	0	NV	NV	4	NV	5
prtChannelStatus.1.7	0	NV	NV	4	NV	NV
prtChannelStatus.1.8	0	NV	NV	4	NV	NV
prtChannelStatus.1.9	0	NV	NV	4	NV	NV
prtChannelStatus.1.10	0	NV	NV	4	NV	NV
prtChannelStatus.1.11	0	NV	NV	NV	NV	NV
prtChannelStatus.1.12	0	NV	NV	NV	NV	NV
prtChannelStatus.1.13	0	NV	NV	NV	NV	NV
prtChannelStatus.1.14	0	NV	NV	NV	NV	NV
prtChannelStatus.1.15	0	NV	NV	NV	NV	NV
prtInterpreterLangFamily.1.1	langAutomatic	langPCL	langSimpleText	langPCL	langPS	langPCL
prtInterpreterLangFamily.1.2	langPJL	langPJL	langPPDS	langPS	langHPGL	NV
prtInterpreterLangFamily.1.3	langPCL	langPS	langXES	langPPDS	langPCL	langPJL
prtInterpreterLangFamily.1.4	langPS	langAutomatic	langEpson	langPJL	langAutomatic	langDiagnostic
prtInterpreterLangFamily.1.5	NV	NV	langPCL	langNPAP	NV	langAutomatic
prtInterpreterLangFamily.1.6	NV	NV	langPS	NV	NV	NV
prtInterpreterLangFamily.1.7	NV	NV	langPJL	NV	NV	NV
prtInterpreterLangFamily.1.8	NV	NV	50	NV	NV	NV
prtInterpreterLangFamily.1.9	NV	NV	langAutomatic	NV	NV	NV
prtInterpreterLangLevel.1.1	Version 1.3	5e	0	5e	Level 2	5e
prtInterpreterLangLevel.1.2	Version 1.3	5e	0	2	HP7475A	NV
prtInterpreterLangLevel.1.3	Version 5.00E	2	0	4	5	
prtInterpreterLangLevel.1.4	Version 2014.108		0	1.0	Level 2	
prtInterpreterLangLevel.1.5	NV	NV	5e	1.0	NV	
prtInterpreterLangLevel.1.6	NV	NV	2	NV	NV	NV
prtInterpreterLangLevel.1.7	NV	NV	0	NV	NV	NV
prtInterpreterLangLevel.1.8	NV	NV	2	NV	NV	NV
prtInterpreterLangLevel.1.9	NV	NV	0	NV	NV	NV
prtInterpreterLangVersion.1.1	19961220	3.1	0	4 Plus	2015.105	600.141
prtInterpreterLangVersion.1.2	19961220	3.1	0	2014	0	NV
prtInterpreterLangVersion.1.3	19961220	2015.103	0	IBM LaserPrinter 4029	LaserJetIII	600.141

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
prtInterpreterLangVersion.1.4	19960724		0	HP PJL	2015.105	600.141
prtInterpreterLangVersion.1.5	NV	NV	0		NV	600.141
prtInterpreterLangVersion.1.6	NV	NV	2014.108	NV	NV	NV
prtInterpreterLangVersion.1.7	NV	NV	0	NV	NV	NV
prtInterpreterLangVersion.1.8	NV	NV	0	NV	NV	NV
prtInterpreterLangVersion.1.9	NV	NV	0	NV	NV	NV
prtInterpreterDescription.1.1	Automatic Language Switching	PCL 5e	Line Printer	Vendor PCL	Adobe PostScript	Phoenix Page PCL
prtInterpreterDescription.1.2	PJL	PJL 5e	IBM Proprinter	Vendor PostScript	Hewlett Packard Graphics Language (HPGL)	NV
prtInterpreterDescription.1.3	PCL	PostScript Level 2	DIABLO 630	Vendor PPDS	PCL	Phoenix Page PJL
prtInterpreterDescription.1.4	PostScript	Automatic PDL Sensing	EPSON LQ-850	Vendor PJL	Adobe PostScript	Phoenix Page Diagnostic
prtInterpreterDescription.1.5	NV	NV	PCL	Vendor NPAP	NV	Phoenix Page Automatic PDL Sensing
prtInterpreterDescription.1.6	NV	NV	KPDL	NV	NV	NV
prtInterpreterDescription.1.7	NV	NV	PJL	NV	NV	NV
prtInterpreterDescription.1.8	NV	NV	PRESCRIBE	NV	NV	NV
prtInterpreterDescription.1.9	NV	NV	AUTO	NV	NV	NV
prtInterpreterVersion.1.1	19961220	1.3.1	19961107		1.20	600.148
prtInterpreterVersion.1.2	19961220	1.3.1	19961107	700	1.20	NV
prtInterpreterVersion.1.3	19961220	1.18	19961107		1.20	600.148
prtInterpreterVersion.1.4	19960724		19961107		1.20	600.148
prtInterpreterVersion.1.5	NV	NV	19961107		NV	600.148
prtInterpreterVersion.1.6	NV	NV	19961107	NV	NV	NV
prtInterpreterVersion.1.7	NV	NV	19961107	NV	NV	NV
prtInterpreterVersion.1.8	NV	NV	19961107	NV	NV	NV
prtInterpreterVersion.1.9	NV	NV	19961107	NV	NV	NV
prtInterpreterDefaultOrientation.1.1	portrait	portrait	portrait	portrait	other	portrait
prtInterpreterDefaultOrientation.1.2	portrait	other	portrait	portrait	other	NV
prtInterpreterDefaultOrientation.1.3	portrait	other	portrait	portrait	other	portrait
prtInterpreterDefaultOrientation.1.4	portrait	other	portrait	portrait	other	portrait
prtInterpreterDefaultOrientation.1.5	NV	NV	portrait	portrait	NV	portrait
prtInterpreterDefaultOrientation.1.6	NV	NV	other	NV	NV	NV
prtInterpreterDefaultOrientation.1.7	NV	NV	other	NV	NV	NV
prtInterpreterDefaultOrientation.1.8	NV	NV	portrait	NV	NV	NV
prtInterpreterDefaultOrientation.1.9	NV	NV	other	NV	NV	NV
prtInterpreterFeedAddressability.1.1	600	355600	6	1200	-1	600
prtInterpreterFeedAddressability.1.2	600	355600	180	1200	-1	NV
prtInterpreterFeedAddressability.1.3	600	355600	48	300	-1	600
prtInterpreterFeedAddressability.1.4	-1	-1	180	-1	-1	600

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
prtInterpreterFeedAddressability.1.5	NV	NV	7200	-1	NV	600
prtInterpreterFeedAddressability.1.6	NV	NV	-1	NV	NV	NV
prtInterpreterFeedAddressability.1.7	NV	NV	-1	NV	NV	NV
prtInterpreterFeedAddressability.1.8	NV	NV	-1	NV	NV	NV
prtInterpreterFeedAddressability.1.9	NV	NV	-1	NV	NV	NV
prtInterpreterXFeedAddressability.1.1	600	215900	10	1200	-1	600
prtInterpreterXFeedAddressability.1.2	600	215900	360	1200	-1	NV
prtInterpreterXFeedAddressability.1.3	600	215900	120	300	-1	600
prtInterpreterXFeedAddressability.1.4	-1	-1	350	-1	-1	600
prtInterpreterXFeedAddressability.1.5	NV	NV	7200	-1	NV	600
prtInterpreterXFeedAddressability.1.6	NV	NV	-1	NV	NV	NV
prtInterpreterXFeedAddressability.1.7	NV	NV	-1	NV	NV	NV
prtInterpreterXFeedAddressability.1.8	NV	NV	-1	NV	NV	NV
prtInterpreterXFeedAddressability.1.9	NV	NV	-1	NV	NV	NV
prtInterpreterDefaultCharSetIn.1.1	2004	2004	2011	2009	2	2004
prtInterpreterDefaultCharSetIn.1.2	2004	2	2011	2009	2	NV
prtInterpreterDefaultCharSetIn.1.3	2011	2	other	2009	2	2004
prtInterpreterDefaultCharSetIn.1.4	2005	2	other	2009	2	2004
prtInterpreterDefaultCharSetIn.1.5	NV	NV	other	2009	NV	2004
prtInterpreterDefaultCharSetIn.1.6	NV	NV	2011	NV	NV	NV
prtInterpreterDefaultCharSetIn.1.7	NV	NV	other	NV	NV	NV
prtInterpreterDefaultCharSetIn.1.8	NV	NV	other	NV	NV	NV
prtInterpreterDefaultCharSetIn.1.9	NV	NV	other	NV	NV	NV
prtInterpreterDefaultCharSetOut.1.1	2	2004	2	2009	2	2004
prtInterpreterDefaultCharSetOut.1.2	2004	2	2	2009	2	NV
prtInterpreterDefaultCharSetOut.1.3	2004	2	2	2009	2	2004
prtInterpreterDefaultCharSetOut.1.4	2005	2	2	2009	2	2004
prtInterpreterDefaultCharSetOut.1.5	NV	NV	2004	2009	NV	2004
prtInterpreterDefaultCharSetOut.1.6	NV	NV	2005	NV	NV	NV

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
prtInterpreterDefaultCharSetOut.1.7	NV	NV	2004	NV	NV	NV
prtInterpreterDefaultCharSetOut.1.8	NV	NV	2	NV	NV	NV
prtInterpreterDefaultCharSetOut.1.9	NV	NV	2	NV	NV	NV
prtInterpreterTwoWay.1.1	no	no	no	yes	yes	no
prtInterpreterTwoWay.1.2	yes	yes	no	yes	yes	NV
prtInterpreterTwoWay.1.3	yes	yes	no	no	yes	yes
prtInterpreterTwoWay.1.4	yes	no	no	yes	yes	no
prtInterpreterTwoWay.1.5	NV	NV	yes	yes	NV	no
prtInterpreterTwoWay.1.6	NV	NV	yes	NV	NV	NV
prtInterpreterTwoWay.1.7	NV	NV	yes	NV	NV	NV
prtInterpreterTwoWay.1.8	NV	NV	no	NV	NV	NV
prtInterpreterTwoWay.1.9	NV	NV	no	NV	NV	NV
prtConsoleLocalization.1	1	1	1	1	1	1
prtConsoleNumberOfDisplayLines.1	2	2	2	4	2	1
prtConsoleNumberOfDisplayChars.1	20	16	16	20	24	16
prtConsoleDisable.1	enabled	enabled	enabled	enabled	disabled	enabled
prtConsoleDisplayBufferText.1.1	READY	READY	Ready	Ready MENUS	Ready	PCL 5e LE/LE
prtConsoleDisplayBufferText.1.2			PAR 600 LT 001		Menu	NV
prtConsoleDisplayBufferText.1.3	NV	NV	NV	Tray 1	NV	NV
prtConsoleDisplayBufferText.1.4	NV	NV	NV		NV	NV
prtConsoleOnTime.1.1	500	500	100	NV	NV	0
prtConsoleOnTime.1.2	0	500	0	NV	NV	0
prtConsoleOnTime.1.3	0	500	0	NV	NV	0
prtConsoleOnTime.1.4	NV	500	0	NV	NV	500
prtConsoleOnTime.1.5	NV	NV	0	NV	NV	NV
prtConsoleOnTime.1.6	NV	NV	100	NV	NV	NV
prtConsoleOnTime.1.7	NV	NV	0	NV	NV	NV
prtConsoleOnTime.1.8	NV	NV	100	NV	NV	NV
prtConsoleOnTime.1.9	NV	NV	0	NV	NV	NV
prtConsoleOnTime.1.10	NV	NV	0	NV	NV	NV
prtConsoleOnTime.1.11	NV	NV	0	NV	NV	NV
prtConsoleOnTime.1.12	NV	NV	0	NV	NV	NV
prtConsoleOnTime.1.13	NV	NV	0	NV	NV	NV
prtConsoleOnTime.1.14	NV	NV	100	NV	NV	NV
prtConsoleOnTime.1.15	NV	NV	0	NV	NV	NV
prtConsoleOffTime.1.1	0	500	0	NV	NV	0
prtConsoleOffTime.1.2	0	500	0	NV	NV	0
prtConsoleOffTime.1.3	0	500	0	NV	NV	0
prtConsoleOffTime.1.4	NV	500	0	NV	NV	500
prtConsoleOffTime.1.5	NV	NV	0	NV	NV	NV
prtConsoleOffTime.1.6	NV	NV	0	NV	NV	NV
prtConsoleOffTime.1.7	NV	NV	0	NV	NV	NV
prtConsoleOffTime.1.8	NV	NV	0	NV	NV	NV
prtConsoleOffTime.1.9	NV	NV	0	NV	NV	NV
prtConsoleOffTime.1.10	NV	NV	0	NV	NV	NV
prtConsoleOffTime.1.11	NV	NV	0	NV	NV	NV
prtConsoleOffTime.1.12	NV	NV	0	NV	NV	NV
prtConsoleOffTime.1.13	NV	NV	0	NV	NV	NV
prtConsoleOffTime.1.14	NV	NV	0	NV	NV	NV

Ordered MIB Walk Results

Object	Vendor 1 Value	Vendor 2 Value	Vendor 3 Value	Vendor 4 Value	Vendor 5 Value	Vendor 6 Value
prtConsoleOffTime.1.15	NV	NV	0	NV	NV	NV
prtConsoleColor.1.1	green	unknown	green	NV	NV	yellow
prtConsoleColor.1.2	green	unknown	green	NV	NV	yellow
prtConsoleColor.1.3	yellow	unknown	green	NV	NV	green
prtConsoleColor.1.4	NV	unknown	green	NV	NV	green
prtConsoleColor.1.5	NV	NV	green	NV	NV	NV
prtConsoleColor.1.6	NV	NV	green	NV	NV	NV
prtConsoleColor.1.7	NV	NV	green	NV	NV	NV
prtConsoleColor.1.8	NV	NV	green	NV	NV	NV
prtConsoleColor.1.9	NV	NV	green	NV	NV	NV
prtConsoleColor.1.10	NV	NV	green	NV	NV	NV
prtConsoleColor.1.11	NV	NV	green	NV	NV	NV
prtConsoleColor.1.12	NV	NV	green	NV	NV	NV
prtConsoleColor.1.13	NV	NV	green	NV	NV	NV
prtConsoleColor.1.14	NV	NV	green	NV	NV	NV
prtConsoleColor.1.15	NV	NV	green	NV	NV	NV
prtConsoleDescription.1.1	Online	ON-LINE	ON LINE	NV	NV	Error
prtConsoleDescription.1.2	Data	CONTINUE	DATA RECEIVING	NV	NV	Supply
prtConsoleDescription.1.3	Attention	DATA	ATTENTION	NV	NV	Data
prtConsoleDescription.1.4	NV	ERROR	TONER	NV	NV	Online
prtConsoleDescription.1.5	NV	NV	FACE DOWN TRAY	NV	NV	NV
prtConsoleDescription.1.6	NV	NV	FACE UP TRAY	NV	NV	NV
prtConsoleDescription.1.7	NV	NV	MANUAL FEED	NV	NV	NV
prtConsoleDescription.1.8	NV	NV	CASSETTE 1	NV	NV	NV
prtConsoleDescription.1.9	NV	NV	CASSETTE2 IS READY	NV	NV	NV
prtConsoleDescription.1.10	NV	NV	CASSETTE2 IS A4 SIZE	NV	NV	NV
prtConsoleDescription.1.11	NV	NV	CASSETTE2 IS B5 SIZE	NV	NV	NV
prtConsoleDescription.1.12	NV	NV	CASSETTE2 IS A5 SIZE	NV	NV	NV
prtConsoleDescription.1.13	NV	NV	CASSETTE2 IS LTR SIZE	NV	NV	NV
prtConsoleDescription.1.14	NV	NV	CASSETTE2 IS LGL SIZE	NV	NV	NV
prtConsoleDescription.1.15	NV	NV	DUPLEX UNIT IS READY	NV	NV	NV