1	INTERNET DRAFT Roger K deBry
2	<pre><draft-ietf-ipp-not-04.txt></draft-ietf-ipp-not-04.txt></pre> Utah Valley State College
3	Harry Lewis
4	IBM Corporation
5	Tom Hastings (editor)
6	Xerox Corporation
7	May 9, 2000
8	
9	Internet Printing Protocol (IPP): Requirements for IPP Notifications
10	Copyright (C) The Internet Society (2000). All Rights Reserved.
11	
12	
13	STATUS OF THIS MEMO
14	
15	This document is an Internet-Draft and is in full conformance with all provisions of Section 10 of
16	[RFC2026]. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its
17	areas, and its working groups. Note that other groups may also distribute working documents as Internet-
18	Drafts.
19	
20	Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or
21	obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or
22	to cite them other than as "work in progress."
23	
24	The list of current Internet-Drafts can be accessed at http://www.ietf.org/ietf/1id-abstracts.txt
25	
26	The list of Internet-Draft Shadow Directories can be accessed as http://www.ietf.org/shadow.html.
27	
28	ABSTRACT
29	
30	This document is one of a set of documents which together describe all aspects of a new Internet Printing
31	Protocol (IPP). IPP is an application level protocol that can be used for distributed printing on the Internet.
32	There are multiple parts to IPP, but the primary architectural components are the Model, the Protocol and
33	an interface to Directory Services. This document provides a statement of the requirements for notifications
34	as part of an IPP Service.

The full set of IPP documents include:

 Design Goals for an Internet Printing Protocol [RFC2567]

Rationale for the Structure and Model and Protocol for the Internet Printing Protocol [RFC2568]

Internet Printing Protocol/1.0: Model and Semantics [RFC2566]

Internet Printing Protocol/1.0: Encoding and Transport [RFC2565]

Internet Printing Protocol/1.0: Implementer's Guide [RFC 2639]

Mapping between LPD and IPP Protocols [RFC2569]

 The 'Design Goals for an Internet Printing Protocol' document takes a broad look at distributed printing functionality, and it enumerates real-life scenarios that help to clarify the features that need to be included in a printing protocol for the Internet. It identifies requirements for three types of users: end users, operators, and administrators. It calls out a subset of end user requirements that are satisfied in IPP/1.0. Operator and administrator requirements are out of scope for version 1.0.

The 'Rationale for the Structure and Model and Protocol for the Internet Printing Protocol' document describes IPP from a high level view, defines a roadmap for the various documents that form the suite of IPP specifications, and gives background and rationale for the IETF working group's major decisions.

The 'Internet Printing Protocol/1.0: Encoding and Transport' document is a formal mapping of the abstract operations and attributes defined in the model document onto HTTP/1.1. It defines the encoding rules for a new Internet media type called 'application/ipp'.

The 'Internet Printing Protocol/1.0: Implementer's Guide' document gives insight and advice to implementers of IPP clients and IPP objects. It is intended to help them understand IPP/1.0 and some of the considerations that may assist them in the design of their client and/or IPP object implementations. For example, a typical order of processing requests is given, including error checking. Motivation for some of the specification decisions is also included.

The 'Mapping between LPD and IPP Protocols' document gives some advice to implementers of gateways between IPP and LPD (Line Printer Daemon) implementations.

Table of Contents

Scope......3 IANA Considerations 12 References 12 Author's Address 12

79 **1 Scope**

80

The scope of this requirements document covers functionality used by the following kinds of IPP Users: End Users, Print Administrators and Operators.

83

3

83 84

2 Terminology

85 86

It is necessary to define a set of terms in order to be able to clearly express the requirements for notification services in an IPP System.

87 88 89

2.1 Job Submitting End User

90 91

A human end user who submits a print job to an IPP Printer. This person may or may not be within the same security domain as the Printer. This person may or may not be geographically near the printer.

92 93 94

2.2 Administrator

95 96

A human user who established policy for and configures the print system.

97 98

2.3 Operator

99 100

A human user who carries out the policy established by the Administrator and controls the day to day running of the print system.

101102

2.4 Job Submitting Application

103104

An application (for example, a batch application), acting on behalf of a Job Submitting End User, which submits a print job to an IPP Printer. The application may or may not be within the same security domain as the Printer. This application may or may not be geographically near the printer.

108

109 2.5 Security Domain

110

For the purposes of this discussion, the set of network components which can communicate without going through a proxy or firewall. A security domain may be geographically very large, for example - anyplace within IBM.COM.

114

115 2.6 IPP Client

116

The software component that sends IPP requests to an IPP Printer object and accepts IPP responses from an IPP Printer.

119

120 2.7 Job Recipient

- A human who is the ultimate consumer of the print job. In many cases this will be the same person as the
- Job Submitting End User, but this need not always be the case. For example, if I use IPP to print a

- document on a printer in a business partner's office, I am the Job Submitting End User, while the person I
- intend the document for in my business partner's office is the Job Recipient. Since one of the goals of IPP
- is to be able to print near the Job Recipient of the printed output, we would normally expect that person to
- be in the same security domain as, and geographically near, the Printer. However, this may not always be
- the case. For example, I submit a print job across the Internet to a Kinko's print shop. I am both the
- Submitting end User and the Job Recipient, but I am neither near nor in the same security domain as the
- 130 Printer.

132 2.8 Job Recipient Proxy

133

- 134 A person acting on behalf of the Job Recipient. In particular, the Job Recipient Proxy physically picks up
- the printed document from the Printer, if the Job Recipient cannot perform that function. The Proxy is **by**
- definition geographically near and in the same security domain as the printer. For example, I submit a print
- job from home to be printed on a printer at work. I'd like my secretary to pick up the print job and put it on
- my desk. In this case, I am acting as both Job Submitting End User and Job Recipient. My secretary is
- acting as a Job Recipient Proxy.

140

141 2.9 Notification Subscriber

142

- 143 A client that requests the IPP Printer to send Event Notifications to one or more Notification Recipients. A
- Notification Subscriber may be a Job Submitting End User or an End User, an Operator, or an
- 145 Administrator that is not submitting a job.

146

147 2.10 Notification Source

148

149 The entity that sends Event Notifications.

150

151 2.11 Notification Recipient

152

- 153 The entity that receives IPP Notifications about Job and/or Printer events. A Notification Recipient may be
- a: Job Submitting End User, Job Submitting Application, Job Recipient, Job Recipient Proxy, Operator, or
- Administrator, etc., and their representatives or log file or usage statistics gathering application or other
- active or passive entities.

157

158 2.12 Notification Recipient Agent

159

- A program which receives Event Notifications on behalf of the Notification Recipient. The agent may take some action on behalf of the recipient, forward the notification to the recipient via some alternative means (for example, page the recipient) on groups the notification for letter actional by the recipient
- 162 (for example, page the recipient), or queue the notification for later retrieval by the recipient.

163

164 2.13 Event

165

A Event is some occurrence (either expected or unexpected) within the printing system of a change of state, condition, or configuration of a Job or Printer object.

169 2.14 Event Notification

170

- 171 When an event occurs, an Event Notification is generated that fully describes the event (what the event was,
- where it occurred, when it occurred, etc.). Event Notifications are delivered to all the Notification
- 173 Recipients that are subscribed to that Event, if any. The Event Notification is delivered to the address of
- the Notification Recipient using the notification delivery method defined in the subscription. However, an
- 175 Event Notification is sent ONLY if there is a corresponding subscription.

176

177 2.15 Notification Subscription

178179

A Notification Subscription is a request by a Notification Subscriber to the IPP Printer to send Event Notifications to specified Notification Recipient(s) when the event occur.

180 181 182

2.16 Notification Attributes

183 184

185

186

IPP Objects (for example, a print job) from which notification are being sent may have attributes associated with them. A user may want to have one or more of these associated attributes returned along with a particular notification. In general, these may include any attribute associated with the object emitting the notification. Examples include:

187 188 189

```
number-of-intervening jobs
```

- iob-k-octets
- job-k-octets processed
- job impressions
- job-impressions-interpreted
- iob-impressions-completed
- impressionsCompletedCurrentCopy (job MIB)
- sheetCompletedCopyNumber (job MIB)
- sheetsCompletedDocumentNumber (job MIB)
- 198 Copies-requested
- 199 Copy-type
- 200 Output-destination
- Job-state-reasons
- 202 Job ID
- 203 Printer URI
 - Subscription ID (for job independent subscription)

204205206

2.17 Notification Delivery Method (or Delivery Method for short)

207208

Event Notifications are delivered using a method, such as email, TCP/IP, etc.

209210

2.18 Immediate Notification

212 Notifications sent to the Notification Recipient or the Notification Recipient's agent in such a way that the 213 notification arrives immediately, within the limits of common addressing, routing, network congestion and

IPP/1.1: Notification Requirements

214 quality of service.

215

216 2.19 Store and Forward Notification

217 218

219

Notifications which are not necessarily delivered to Notification Recipients immediately, but are queued for delivery by some intermediate network application, for later retrieval. Email is an example of a store and forward notification delivery method.

220 221 222

2.20 Reliable Delivery of Notifications

223

- 224 Notifications which are delivered by a reliable delivery of packets or character stream, with
- 225 acknowledgment and retry, such that delivery of the notification is guaranteed within some determinate
- time limits. For example, if the Notification Recipient has logged off and gone home for the day, an 226
- 227 immediate notification cannot be guaranteed to be delivered, even when sent over a reliable transport,
- 228 because there is nothing there to catch it. Guaranteed delivery requires both store and forward notification
- 229 and a reliable transport.

230 231

2.21 Notification over Unreliable Transport

232 233

Notifications are delivered via the fundamental transport address and routing framework, but no acknowledgment or retry is required. Process to process communications, if involved, are unconstrained.

234 235 236

2.22 Human Consumable Notification

237 238

239 Notifications which are intended to be consumed by human end users only. Email would be an example of a Human consumable notification, though it could also contain Machine Consumable Notification. 240

241

242 2.23 Machine Consumable Notification

243

244 Notifications which are intended for consumption by a program **only**, such as an IPP Client. Machine Consumable notifications may not contain human readable information. Do we need both human and 245 246 machine? Machine readable is intended for application to application only. The Notification Recipient could process the machine readable Event Notification into human readable format.

247

248 249 2.24 Mixed Notification

250

A mixed notification contains both Human Consumable and Machine Consumable information. 251

252

253 3 **Scenarios**

254

255 1. I am sitting in my office and submit a print job to the printer down the hall. I am in the same security domain as the printer and of course, geographically near. I want to know immediately when my print 256

- job will be completed (or if there is a problem) because the document I am working on is urgent. I submit the print job with the following attributes:
- 259
- 260 Notification Recipient me
- 261 Notification Events all
 - Notification Attributes job-state-reason
 - Notification Type immediate

266

267

268

269

262

2. I am working from home and submit a print job to the same printer as in the previous example. However, since I am not at work, I cannot physically get the print file or do anything with it. It can wait until I get to work this afternoon. However, I'd like my secretary to pick up the output and put it on my desk so it doesn't get lost or miss-filed. I'd also like a store and forward notification sent to my email so that when I get to work I can tell if there was a problem with the print job. I submit a print job with the following attributes:

270271272

- Notification Recipient my secretary
- Notification Events print complete
 - Notification Type immediate

274275276

277

278

273

- Notification Recipient me
 - Notification Events print complete
 - Notification Attributes impressions completed
 - Notification Type store and forward

279280281

282283

3. I am sitting in my office and submit a print job to a client at an engineering firm we work with on a daily basis. The engineering firm is in Belgium. I would like my client to know when the print job is complete, so that she can pick it up from the printer in her building. It is important that she review it right away and get her comments back to me. I submit the print job with the following attributes:

284 285 286

287

288

- Notification Recipient client at engineering firm
- Notification Events print complete
- Notification Type immediate
- Notification Language French

289290291

292

293

294

4. I am in a hotel room and send a print job to a Kinko's store in the town I am working in, in order to get a printed report for the meeting I am attending in the morning. Since I'm going out to dinner after I get this job submitted, an immediate notification won't do me much good. However, I'd like to check in the morning before I drive to the Kinko's store to see if the file has been printed. An email notification is sufficient for this purpose. I submit the print job with the following attributes:

295296297

298

- Notification Recipient me
- Notification Events print complete
- 299 Notification Type store and forward

5. I am printing a large, complex print file. I want to have some immediate feedback on the progress of the print job as it prints. I submit the print job with the following attributes:

303 304

305

306

- Notification Recipient me
- Notification Type immediate
- Notification Events all state transitions
- Notification Attributes impression completed

307 308 309

6. I am an operator and my duties is to keep the printer running. I subscribe independently from a job submission so that my subscription outlasts any particular job. I subscribe with the following attributes:

310 311 312

313

314

315

- Notification Recipient me
- Notification Type immediate
- Notification Events all Printer state transitions
- Notification Attributes Printer state, printer state reasons, device powering up, device powering down.

316 317 318

319

7. I am a usage statistics gathering application. I subscribe independently from a job submission so that my subscription outlasts any particular job. My subscription may persists across power cycles. I subscribe with the following attributes:

320321322

323

324

325

- Notification Recipient me
- Notification Type immediate
- Notification Events job completion
- Notification Attributes impression completed, sheets completed, time submitted, time started, time completed, job owner, job size in octets, etc.

326327328

329

330

331

332333

8. I am a client application program that displays a list of jobs currently queued for printing on a printer. I display the "job-name", "job-state", "job-state-reasons", "page-count", and "intervening-jobs" either for the user's jobs or for all jobs. The window displaying the job list remains open for an independent amount of time, and it is desired that it represent the current state of the queue. It is desired that the application only need to perform a slow poll in order to recover from any missed notifications. So the event delivery mechanism provides the means to update the screen on all needed changes, including querying for some attributes that may not be delivered in the Notification.

334335336

337338

339

340

9. I am a client application program that displays a list of printers. For each Printer I display the current state and configuration. The window displaying the printer list remains open for an independent amount of time, and it is desired that it represent the current state of each printer. It is desired that the application only need to perform a slow poll in order to recover from any missed notifications. So the event delivery mechanism provides the means to update the screen on all needed changes, including querying for some attributes that may not be delivered in the Notification.

341342343

344

345

10. I am an IPP Server that controls one or more devices and implements an IPP Printer object to represent each device. I want to support IPP Notification for each of the IPP Printer objects that I implement. Many of these devices do not support notification (or IPP). So I need to support the IPP Notification

semantics specified for each IPP Printer object myself on behalf of each of the devices that each of the IPP Printer objects represent. When I accept IPP job creation requests, I convert the request to what the device will accept. In some cases, I must poll the devices in order to be informed of their job and device state and state changes in order to be able to send IPP Notifications to subscribed Notification Recipients.

- 11. I am an IPP Server that controls one or more devices and implements an IPP Printer object to represent each device. I want to support IPP Notification for each of the IPP Printer objects that I implement. These devices all support IPP, including IPP Notification. I would like the design choice for supporting IPP Notification for these IPP Printer objects that I implement either (1) by forwarding the notification to the IPP Printers that I alone control and have them send the notifications to the intended Notification Recipients without my involvement or (2) replace the notification submitted with the Job to indicate me as the Notification Recipient and I will in turn forward Notifications to the Notification Recipients requested by my clients. Most of the rest of the contents of the IPP Job that I send to the IPP Printers that I control will be the same as the IPP Job that I receive from my IPP clients.
- 12. I am an IPP Server that controls one or more devices and implements an IPP Printer object to represent each device. I want to support IPP Notification for each of the IPP Printer objects that I implement. These devices all support IPP, including IPP Notification. Because these IPP Printers MAY also be being controlled by other servers (using IPP or other protocols), I only want job events for the jobs that I send, but do want Printer events all the time, so that I can show proper Printer state to my clients. So I subscribe to these IPP Printers for Printer events with a long standing subscription with myself to as the Notification Recipient. When I get a Job Creation request, I decide to which IPP Printer to send the job. When I do so, I also add a job subscription for Job events with me as the Notification Recipient to the job's job subscriptions supplied by my clients (this usage is called "piggy-backing"). These IPP Printers automatically remove their job subscriptions when the job completes as for all job subscriptions so that I no longer get Job events when my jobs are completed.

4 Requirements

The following requirements are intended to be met by the IPP Notification specification (not the implementation). The resulting IPP Notification Specification document:

- 1. must indicate which of these requirements are REQUIRED and which are OPTIONAL for a conforming implementation to support.
- 2. must be designed to that an IPP Printer can *transparently* support the IPP Notification semantics using third party notification services that exist today or that may be standardized in the future.
- 3. must define means for a Job Submitting End User to specify zero or more Notification Recipients when submitting a print job. A Submitter will not be able to prevent out of band subscriptions from authorized persons, such as Operators.
- 4. must define means when specifying a Notification Recipient, for a Notification Subscriber to be able to specify one or more notification events for that Notification Recipient, subject to administrative and

394 395

396

397

398 399

400

401

402 403

404

405 406

407

409

410 411

414 415

419

421 422

423

424

425

426

427

428 429

430

431

- 391 security policy restrictions. Any of the following constitute Job or Printer Events that a Job Submitting 392 End User can specify notifications be sent for:
 - Any standard Printer MIB alert (i.e. device alerts) (critical and warning?) (state change notifications)?
 - Job Received (transition from Unknown to Pending)
 - Job Started (Transition from Pending to Processing)
 - Page Complete (Page is stacked)
 - Collated Copy Complete (last sheet of collated copy is stacked)
 - Job Complete (transition from Processing or Processing-stopped to Completed)
 - Job aborted (transition from Pending, Pending-held, Processing, or Processing-stopped to Aborted)
 - Job canceled (transition from Pending, Pending-held, Processing, or Processing-held to Canceled)
 - Other job state changes like 'paused', purged?
 - Device problems for which the job is destined
 - Job (interpreter) issues
- 408 5. must define how an End User or Operator subscribes for:
 - Any set of Job Events for a specific job.
 - Any set of Printer Events while a specific job is not complete.
- 412 6. must define how an End User or Operator subscribes for the following without having to submit a Job: 413
 - Any set of Printer Events for a defined period.
 - Any set of Job Events for all jobs with no control over which jobs.
- 416 7. must define how the Notification Subscriber is able to specify either immediate or store and forward 417 notification independently for each Notification Recipient. The means may be explicit, or implied by 418 the method of delivery chosen by the Job Submitting End User.
- 420 8. must define common delivery methods, e.g. email, must be defined.
 - 9. must define how an IPP Printer validates its ability to deliver an Event using the specified delivery scheme. If it does not support the specified scheme, or the specified scheme is invalid for some reason, then the IPP Printer accepts and performs the request anyway and responds indicating the unsupported attribute values. There is no requirement for the IPP Printer receiving the print request to validate the identity of an Notification Recipient, nor the ability of the system to deliver an event to that recipient as requested (for example, if the Notification Recipient is not at work today).
 - 10. must define a class of IPP event notification delivery methods which can flow through corporate firewalls. However, an IPP printer need not test to guarantee delivery of the notification through a firewall before accepting a print job.
- 432 11. may define means for delivering a notification to the submitting client when the delivery of an event 433 notification to a specified Notification Recipient fails. Fall back means of subscribers determining if 434 notifications have failed, i.e. polling, may be provided.

436 12. must define a mechanism for localizing Human Consumable notifications by the Notification Source.

13. may define a way to specify whether or not event delivery requires acknowledgement back to the Notification Source.

14. There must be a mechanism defined so that job independent subscriptions do not become stale and do not require human intervention to remove stale subscriptions. However, stale must not be the inability to deliver an Event Notification, since temporary Notification delivery problems must be tolerated.

15. A mechanism must be defined so that an Event Subscriber is able to add an Event Subscription to a Job after the Job has been submitted.

16. A mechanism must be defined so that a client is able to cancel an Event Subscription on a job or printer after the job has been submitted.

17. A mechanism must be defined so that a client can obtain the set of current Subscriptions.

5 Security considerations for IPP Notifications requirements

 By far the biggest security concern is the abuse of notification: sending unwanted notifications to third parties (i.e., spam). The problem is made worse by notification addresses that may be redistributed to multiple parties (e.g. mailing lists). There exist scenarios where third party notification is required (see Scenario #2 and #3). The fully secure solution would require active agreement of all recipients before sending out anything. However, requirement #9 ("There is no requirement for IPP Printer receiving the print request to validate the identity of an event recipient") argues against this. Certain systems may decide to disallow third party notifications (a traditional fax model).

 Clients submitting notification requests to the IPP Printer has the same security issues as submitting an IPP/1.1 print job request. The same mechanisms used by IPP/1.1 can therefore be used by the client notification submission. Operations that require authentication can use the HTTP authentication. Operations that require privacy can use the HTTP/TLS privacy.

 The notification access control model should be similar to the IPP access control model. Creating a notification subscription is associated with a user. Only the creator or an operator can cancel the subscription. The system may limit the listing of items to only those items owned by the user. Some subscriptions (e.g. those that have a lifetime longer than a job) can be done only by privileged users (operators and/or administrators), if that is the authorization policy.

The standard security concerns (delivery to the right user, privacy of content, tamper proof content) apply to the notification delivery. IPP should use the security mechanism of the delivery method used. Some delivery mechanisms are more secure than others. Therefore, sensitive notifications should use the delivery method that has the strongest security.

6 Internationalization Considerations

- 481 The Human Consumable notification must be localized to the natural language and charset that Notification 482 Subscriber specifies within the choice of natural languages and charsets that the IPP Printer supports. 483 484 The Machine Consumable notification data uses the 'application/ipp' MIME media type. It contains some 485 attributes whose text values are required to be in the natural language and charset that the Notification Subscriber specifies within the choice of natural languages and charsets that the IPP Printer supports. See 486 487 [RFC2566]. 488 489 **IANA Considerations** 490 491 There will be some notification delivery methods registered with IANA for use in URLs. 492 493 8 References 494 495 [ipp-mod] 496 deBry, R., Hastings, T., Herriot, R., Isaacson, S., Powell, P., "Internet Printing Protocol/1.1: Model 497 and Semantics", < draft-ietf-ipp-model-v11-06.txt>, work in progress, March 1, 2000. 498 [RFC2565] 499 Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.0: Encoding and 500 Transport", RFC 2565, April 1999. 501 [RFC2566] 502 R. deBry, T. Hastings, R. Herriot, S. Isaacson, P. Powell, "Internet Printing Protocol/1.0: Model and 503 Semantics", RFC 2566, April 1999. [RFC2567] 504 505 Wright, D., "Design Goals for an Internet Printing Protocol", draft-ietf-ipp-req-03.txt, November, 506 1998. 507 [RFC2568] 508 Zilles, S., "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol", 509 draft-ietf-ipp-rat-04.txt, November, 1998. 510 [RFC2569] 511 Herriot, R., Hastings, T., Jacobs, N., Martin, J., "Mapping between LPD and IPP Protocols", draft-512 ietf-ipp-lpd-ipp-map-05.txt, November 1998. 513 [RFC2639] T. Hastings, C. Manros. "Internet Printing Protocol/1.0: Implementer's Guide", RFC 2639, July 514 515 1999.
- 516 **9 Author's Address** 517
- 518 Harry Lewis519 HUC/003G

520	IBM Corporation
521	P.O. Box 1900
522	Boulder, CO 80301-9191
523	
524	Phone: (303) 924-5337
525	Fax: (303) 924-9889
526	e-mail: harryl@us.ibm.com
527	·
528	Roger deBry
529	Utah Valley State College
530	Orem, UT 84058
531	
532	Phone: (801) 222-8000
533	e-mail: debryro@uvsc.edu
534	
535	Tom Hastings (editor)
536	Xerox Corporation
537	737 Hawaii St. ESAE 231
538	El Segundo, CA 90245
539	
540	Phone: 310-333-6413
541	Fax: 310-333-5514
542	e-mail: hastings@cp10.es.xerox.com
543	
544	IPP Mailing List: ipp@pwg.org
545	IPP Mailing List Subscription: ipp-request@pwg.org
546	IPP Web Page: http://www.pwg.org/ipp/
547	
548	