- 1 Subj: Template for Mapping JMP objects/attributes to job submission protocol attributes
- 2 From: Tom Hastings
- 3 Date: 06/14/97
- 4 File: ftp://ftp.pwg.org/pub/pwg/jmp/protomap/jmtmplt2.doc

5

- 6 Map the objects and attributes of the current Job Monitoring MIB (jmp-mibv.pdf, version
- 7 0.82 = Internet-Draft 01) to their assigned job submission protocol, so that we can make
- 8 sure that the specification of each object is clear. The resulting mapping will be
- 9 incorporated into a separate information RFC. This mapping exercise is like a "paper
- bakeoff", but is happening *before* we make the specification a proposed standard.
- By mapping, we mean determine what an agent must do in order to respond to a Get for
- each JMP object and attribute in order to compute a value from the particular job
- submission protocol implementation.

1415

17

18

20

21

22

23

24

25

26

27

28

29

30

31

32

- 1. Copy **jmtmplt2.doc** from
- 16 ftp://ftp.pwg.org/pub/pwg/jmp/protomap/jmtmplt1.doc.
 - 2. Fill in the first five lines of information about your job submission protocol immediately after the "cut here" line.
- 3. Delete the template before and including the "cut here".
 - 4. Please go read each attribute, so that you are sure that the mapping is correct and to be part of the review process on the MIB itself. The page numbers correspond to the line numbered version with variable pitch font (jmp-mibv.pdf, V0.82), which is the one we should be using for review. If you find a description that is unclear or ambiguous, please make a note and send as e-mail or enter it in the Notes column here. We need to fix ambiguities now, not after we are a proposed standard.
 - 5. Edit in the name of each of the job submission protocol attributes that corresponds to each of the object/attribute in the table below. For the attributes that are read-only in your job submission protocol, such as **jmGeneralNumberOfActiveJobs**, **jobState**, and **pagesConsumed**, enter the name of the attribute in your job submission protocol, if it is querable with your job submission protocol, otherwise leave blank.
- 6. For objects/attributes that do not have a corresponding attribute in your job submission protocol, please leave blank.
- 7. If you aren't sure whether the job attribute you found is correct, put a question mark after the name of your job submission protocol attribute.
- 8. Add any notes to the last column labeled NOTES.
- 9. Rename your file to the *xxx*.doc file name indicated below for your job submission protocol.

Template for Mapping from Job Submission Protocols to JMP objects/attributes

10. Post your file in: 40

TIPSI/NPAP

41

42

43 44 45

46

47

48

ftp://ftp.external.hp.com/snmpmib/jobs-mib/protomap/xxx.doc ftp://ftp.external.hp.com/snmpmib/jobs-mib/protomap/xxx.pdf

11. Send mail to the jmp list indicating that you have posted your mapping.

I've already copied all of the original files into the **history1** sub-directory under protomap/, so you can use the same file name as before.

Job Submission Protocol	file name	Responsible person
AppleTalk PAP	applepap.doc	Ron Bergman
IETF IPP	ietf-ipp.doc	Tom Hastings
IPDS	ipds.doc	Harry Lewis
ISO DPA	iso-dpa.doc	Tom Hastings
LPR/LPD - RFC 1179, PSIS extensions	lpr-lpd.doc	Ron Bergman
NDPS	ndps.doc	Scott Isaacson
PJL	pjl.doc	Bob Pennacost
PostScript	ps.doc	Bob Setterbo
PSERVER	pserver.doc	Scott Isaacson
RPRINTER	rprinter.doc	Scott Isaacson
SMB	smb.doc	Bob Setterbo

tipsi.doc

Don Wright

----->

Template for Mapping from Job Submission Protocols to JMP objects/attributes

- 49 PLEASE FILL IN THE FOLLOWING:
- Name of Job Submission Protocol:
- Version of Job Submission Protocol:
- Is your Job Submission Protocol to a Server (config 2 and 3) or to a Printer (config 1) or
- 53 both:
- File name (please use file name listed above):
- 55 Assigned person:
- 56 Date:

57

Any general mapping problems that apply to a number of attributes, such as length of strings, size of integers, ASCII vs. binary encoding of attribute values, etc.:

60

61 1.

62 63

The state of the s	1	T	NT .
Attribute or object	pa	Job submission protocol	Notes
	ge	attribute	
The General Group	57		
(Mandatory)			
jmGeneralNumberOfActiveJo	57		
bs			
jmGeneralOldestActiveJobInd	58		
ex			
jmGeneralNewestActiveJobIn	58		
dex			
jmGeneralJobPersistence	59		
jmGeneralAttributePersistenc	59		
e			
jmGeneralJobSetName	59		
The Job ID Group	60		
(Mandatory)			
jmJobSubmissionID	61		
jmJobIndex	62		
The Job Group (Mandatory)	63		
jmJobState:	64		
other	31		
pending	31		
pendingHeld	31		
processing	31		
processingStopped	32		
canceled	32		
aborted	32		
completed	32		
jmJobStateReasons1:	64		
other	49		
ouici	サノ		

JobIncoming	50	
jobOutgoing	50	
jobHoldSpecified	50	
jobHoldUntilSpecified	50	
jobProcessAfterSpecified	50	
resourcesAreNotReady	50	
deviceStoppedPartly	50	
deviceStopped	50	
jobPrinting	50	
jobCanceledByUser	50	
jobCanceledByOperator	51	
abortedBySystem	51	
jobCompletedSuccessfully	51	
jobCompletedWithWarnings	51	
jobCompletedWithErrors	51	
jmNumberOfInterveningJobs	65	
jmJobKOctetsRequested	65	
jmJobKOctetsProcessed	65	
jmJobImpressionsRequested	66	
jmJobImpressionsCompleted	66	
JmAttributeTypeTC -	33	
attribute type definitions		
other	35	
unknown	35	
Job State attributes	35	
jobStateReasons2	36	
jobStateReasons3	36	
jobStateReasons4	36	
deviceAlertCode	36	
processingMessage	36	
Job Identification attributes	36	
jobOwner (MANDATORY)	36	
jobAccountName	37	
serverAssignedJobName	37	
jobName	37	
jobServiceTypes	37	
jobSourceChannelIndex	38	
jobSourcePlatformType	38	
submittingServerName	38	
submittingApplicationName	38	
jobOriginatingHost	38	
deviceNameRequested	38	
queueNameRequested	39	
physicalDevice	39	
numberOfDocuments	39	
fileName	39	
documentName	39	
jobComment	39	
documentFormatIndex	39	
documentFormat	40	

jobPriority	40 40	
J	40	
iobProcessAfterDateAndTime		
J	40	
jobHoldUntil	41	
outputBin	41	
sides	41	
finishing	41	
Image Quality attributes	41	
(requested and used)		
printQualityRequested	42	
printQualityUsed	42	
printerResolutionRequested	42	
printerResolutionUsed	42	
tonerEcomonyRequested	42	
tonerEcomonyUsed	42	
tonerDensityRequested	42	
tonerDensityUsed	42	
Job Progress attributes	42	
(requested and consumed)		
jobCopiesRequested	42	
•	43	
1	43	
1 1	43	
1 1	43	
	43	
(requested and consumed)	.5	
	44	
	44	
-	44	
	44	
Copy		
	44	
	44	
mpleted		
Page attributes (requested and consumed)	44	
pagesRequested	44	
	45	
pagesCompletedCurrentCopy	45	
	45	
and consumed)		
sheetsRequested	45	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	45	
l 	45	
	45	
and consumed)		
	45	
mediumConsumedName	46	

Template for Mapping from Job Submission Protocols to JMP objects/attributes

colorantRequested	46	
colorantConsumed	46	
Time attributes (set by server	46	
or device)		
jobSubmissionToServerTime	46	
jobSubmissionToDeviceTime	47	
timeSinceJobWasSubmittedTo	47	
Device		
jobStartedBeingHeldTimeSta	47	
mp		
jobStartedProcessingTime	47	
timeSinceStartedProcessing	47	
jobCompletedTime	47	
timeSinceCompleted	47	
jobProcessingCPUTime	47	

64 65

The following attributes in the job submission protocol do not appear in the Job

66 Monitoring MIB:

67