



ChromiumOS Printing Update

Printer Working Group F2F May 2022

Agenda

- Review of ChromiumOS
- Projects used in Printing
- Features in Chromium
- Improvements since last year
- New Project: OAuth 2 for IPP

What is ChromiumOS?

- Google's Open Source operating system for Chromebooks (and other devices)
 - Approximately the same as ChromeOS minus some Google-only parts
- Gentoo derivative
 - Everything is built from source
- Supports a variety of ARM and x86-64 architectures
- Code available at chromium.googlesource.com

Open Source Projects in ChromiumOS

- [CUPS](#)
 - Print spooling
 - Driverless support
- [cups-filters](#)
 - gstoraster
 - pdftops
 - foomatic-rip
- [Ghostscript](#)
- [sane-airscan](#): Mopria eSCL scanning
- [SANE](#)
- [avahi](#) + [nss-mdns](#): mDNS resolution
- [ippusb_bridge](#): local IPP-USB sockets

Features in Chromium

- mDNS detection
- Driverless support
- Matching printers with PPDs
- IPP-USB through local (UNIX domain) sockets

Recent Improvements


- General scalability of existing features
 - More PPDs available
 - More manufacturer-specific PPD keywords supported
 - More automated testing
 - Mock printer improvements
- Better sharing of USB devices between printing and scanning
- New feature: OAuth for IPP




OAuth 2 for IPP

1. Scope of the project
2. Security considerations
3. Proposed protocol
4. Project status & proposed changes

General idea



Possible configurations



Main Assumptions

- **IPP Printer** can be managed by only one **Authorization Server**
- **IPP Printer** knows the URL of its **Authorization Server**
- **IPP Client** does not need any prior knowledge about the implementation of **IPP Printer** or **Authorization Server**
- **IPP Printer** does not need any prior knowledge about the implementation of **IPP Client**
- All communication between **IPP Client** and **IPP Printer** and between **IPP Client** and **Authorization Server** relies on https protocol

Out of Scope

- Communication between **IPP Printer** and **Authorization Server**
 - Verification of the access token performed by **IPP Printer**
- Capabilities of **IPP Printer** and the way jobs are processed
 - IPP version supported by **IPP Printer**
 - Printing pipeline - filters needed to process the document
- Source of knowledge of **IPP Printers**
 - Provided by user
 - Queried from **Authorization Server** or printing server
 - Discovered via mDNS

Security considerations

1. Communication between **IPP Client** and **IPP Printer** cannot be intercepted by any third party.

The immediate goal: to protect user data.

2. Access to **IPP Printer** can be restricted to a limited set of authorized users.

The immediate goal: to protect printer resources (e.g., paper, ink, printing time, etc.).

The second condition may be achieved only if the first requirement is fulfilled. Otherwise, attackers would be able to intercept credentials/access tokens and impersonate authorized users.

Mitigating possible attacks - fake **Authorization Server**

Both requirements must be fulfilled:


1. **Authorization Server** must have a valid certificate that is fully verified by the **IPP Client**
2. The URL of the **Authorization Server** must be trusted
 - Possible sources of **Authorization Server** URLs:
 - Well-known FQDN of the service
 - Provided by the administrator of the system/local network
 - Provided by the user
 - Provided by the **IPP Printer**
 - Must be explicitly verified by the user!

Mitigating possible attacks - fake IPP Printer

Both requirements must be fulfilled:

1. **IPP Printer** must have a valid certificate that is fully verified by the **IPP Client**
2. The **Authorization Server** must verify the identity of the **IPP Printer**
 - Possible approaches to identity verification
 - **IPP Printer** has FQDN that can be verified by the **Authorization Server**
 - **Authorization Server** verifies the fingerprint of the **IPP Printer's** certificate
 - An alternative for printers visible only in local network and without unique addresses (e.g., discovered via mDNS)

Proposed protocol



Proposed protocol

1. **IPP Printer** managed by **Authorization Server** MUST return attributes:
 - a. *oauth-authorization-server-uri* (always)
 - b. *oauth-authorization-scope* (if needed).

2. **IPP Client** MUST:
 - a. check that *oauth-authorization-server-uri* is on the list of trusted servers
 - b. query metadata from the **Authorization Server** as described in RFC 8414
 - c. try to register as a new client as described in RFC 7591 when:
 - i. *client_id* is not known, AND
 - ii. the **Authorization Server** allows for dynamic registration of new clients.

Proposed protocol

1. **IPP Client** MUST open session with **Authorization Server** as described in RFC 6749:
 - a. the **IPP Client** uses an internet browser to open authorization link from **Authorization Server** and enables the user to complete authentication procedure provided by the server;
 - b. the **IPP Client** obtains *access token* (and, if provided, *refresh token*) from the **Authorization Server**
2. The **IPP Client** uses *access token* to obtain *endpoint access token* for specific **IPP Printer** as described in RFC 8693
 - a. the **IPP Client** sends to the **Authorization Server** the URL of the **IPP Printer** and the fingerprint of its certificate

Implementation Plans

- **IPP Client** in ChromeOS
 - experimental feature
 - activated by a flag
- Convince our partners to implement **Authorization Server** on their side
 - centralized solutions with infrastructure printers
- Future: stand-alone **Authorization Server** working with **IPP Printer** being:
 - print server - requires protocol between **IPP Printer** and **Authorization Server**
 - stand-alone printer - as above + OEM that agree to implement the protocols

Proposed changes

- **IPP Printer** should announce *oauth-authorization-server-uri* and *-scope* in HTTP header
 - Access to Get-Printer-Attributes request can be restricted too
 - Get-Printer-Attributes may be used to conduct DDOS attack
- Provide standard way of querying list of **IPP Printers** from the **Authorization Server**
 - It may be useful for some configurations
- **IPP Client** should be able to delegate to **Authorization Server** verification of a certificate of **IPP Printer**
 - **IPP Client** would not need additional configuration to verify **IPP Printer's** certificate



Thank you!

Benjamin Gordon

Software Engineer

bmgordon@chromium.org

Piotr Pawliczek

Software Engineer

pawliczek@chromium.org

Google Open Source